

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 000000000050629330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

Section 1: Identification

Product name : TERGOSTRIP B/O (6 X 0,5 L)

Product code : 000000000050629330

Manufacturer or supplier's details

BASF Coatings and Chemetall New
Zealand Limited
Level 1, 527A Rosebank Road, Avondale
Auckland 1026
New Zealand
Telephone: 008 837 464, +64 9 820 3888
Telefax number: +64 9 820 3979
E-mail address: nzadmin@basf.com

Emergency contact

Telephone: +64 9 255-4300
E-mail address: ProductSafety_EC_APAC@basf.com, nzadmin@basf.com

Emergency telephone : National Poisons Centre: 0800 764 766
BASF Emergency Advice Number: 0800 944 955 (24 hour
advice in an emergency only)
BASF Emergency Advice Number: +61 3 8855 6666 (If
calling from outside New Zealand)

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

Recommended use of the chemical and restrictions on use

Recommended use : Paint stripper
Restrictions on use : Uses other than recommended

Section 2: Hazard identification**GHS Classification**

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 1

Serious eye damage/eye
irritation : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 2

Specific target organ
toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

Specific target organ toxicity - repeated exposure : Category 2

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Kidney, Liver, Blood, Central nervous system, lung)

Hazardous to the aquatic environment - chronic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29330	Date of first issue: 07.03.2025

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs (Kidney, Liver, Blood, Central nervous system, lung) through prolonged or repeated exposure if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe mist or vapors.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29330	Date of first issue: 07.03.2025

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Chemical nature : organic solvent
organic compounds

Components

Chemical name	Common Name/Synonyms	CAS-No.	Concentration (% w/w)
dichloromethane	dichloromethane	75-09-2	>= 70 -< 90
formic acid	formic acid	64-18-6	>= 5 -< 10
phenol	phenol	108-95-2	>= 3 -< 5

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

Benzenesulfonic acid, C10-16-alkyl derivs.	Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	>= 0.25 -< 1
Benzene, C10-16-alkyl derivs.	Benzene, C10-16-alkyl derivs.	68648-87-3	>= 0.0025 -< 0.025

Section 4: First-aid measures

- General advice** : First aid personnel should pay attention to their own safety.
Immediately remove contaminated clothing.
In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.
Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.
Never give anything by mouth to an unconscious person.
Keep patient warm and at rest.
- If inhaled** : If breathed in, move person into fresh air.
Call a physician or poison control center immediately.
If breathing is irregular or stopped, administer

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29330	Date of first issue: 07.03.2025

- artificial respiration.
- In case of skin contact : Call a physician immediately.
- Polyethylene glycol 400.
- If skin irritation persists, call a physician.
- In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- In case of eye contact : Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- Call a physician immediately.
- If easy to do, remove contact lens, if worn.
- If swallowed : Do not induce vomiting due to aspiration hazard.
- Keep at rest.
- If symptoms persist, call a physician or Poison Control Center immediately.
- Rinse mouth with water.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
- Causes serious eye damage.
- May cause respiratory irritation.

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29330	Date of first issue: 07.03.2025

May cause drowsiness or dizziness.

Suspected of causing genetic defects.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

Causes severe burns.

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

May cause severe burns of the mouth and throat if orally ingested, as well as a danger of perforation of the oesophagus and the stomach.

Notes to physician : No known specific antidote.
Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray jet
Dry powder
Alcohol-resistant foam
Carbon dioxide (CO₂)

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

Unsuitable extinguishing : High volume water jet
media

Specific hazards during : Fire will produce dense black smoke containing
fire fighting hazardous combustion products (see section 10).

Hazardous combustion : Carbon oxides
products Chlorine compounds

Advice for firefighters

Specific extinguishing : In the event of fire, cool tanks with water spray.
methods
Fire residues and contaminated fire extinguishing
water must be disposed of in accordance with local
regulations.
Collect contaminated fire extinguishing water
separately. This must not be discharged into drains.

Special protective : Appropriate breathing apparatus may be required.
equipment for fire-
fighters

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 29330	07.03.2025
			Date of first issue: 07.03.2025

Hazchem Code : 2X

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Avoid breathing vapours.
Keep away from sources of ignition.
Advice on product handling can be found in sections 7 and 8 of this safety data sheet.
For non-emergency personnel:
For emergency responders:
Use personal protective equipment.
Ensure adequate ventilation, especially in confined areas.

Environmental precautions : Do not allow uncontrolled discharge of product into the environment.
Avoid subsoil penetration.
If the product contaminates rivers and lakes or drains

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 29330	07.03.2025
			Date of first issue: 07.03.2025

inform respective authorities.

Methods and materials for : Ensure adequate ventilation.
containment and cleaning
up
Contain spillage, soak up with non-combustible
absorbent material, (e.g. sand, earth, diatomaceous
earth, vermiculite) and transfer to a container for
disposal according to local / national regulations (see
section 13).

Section 7: Handling and storage

Advice on protection : Avoid all sources of ignition: heat, sparks, open flame.
against fire and explosion
Product may charge electrostatically: always use
earthing leads when transferring from one container to
another and earth containers. It is recommended that
operators should wear antistatic clothing and footwear.
The relevant fire protection measures should be noted.
Use explosion-proof equipment.
Vapors are heavier than air and may spread along floors.
Vapors may form explosive mixtures with air.

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29330	Date of first issue: 07.03.2025

Advice on safe handling : Provide good ventilation of working area (local exhaust ventilation if necessary).

Do not return residues to the storage containers.

Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

Do not breathe vapors or spray mist.

Hygiene measures : Remove contaminated clothing immediately and dispose of safely.

Wash hands before breaks and at the end of workday.

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions : Keep away from heat.

Avoid direct sunlight.

Close containers carefully once opened and store them

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29330	Date of first issue: 07.03.2025

upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel.

Always keep in containers of same material as the original one.

Observe label precautions.

Store protected against freezing.

Keep in a dry, cool and well-ventilated place.

Materials to avoid : Segregate from alkalis and alkalizing substances.

Bases

Recommended storage temperature : 0 - 40 °C

Packaging material : Suitable material: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethylenetherephtalate (PET), Polypropylene, Carbon steel (Iron), tinned carbon steel (Tinplate)

Section 8: Exposure controls/personal protection**Ingredients with workplace control parameters**

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dichloromethane	75-09-2	WES-TWA	50 ppm 174 mg/m ³	NZ OEL
	Further information: Suspected human carcinogen			
		TWA	50 ppm	ACGIH
formic acid	64-18-6	WES-STEL	10 ppm 19 mg/m ³	NZ OEL
		WES-TWA	5 ppm 9.4 mg/m ³	NZ OEL
		TWA	5 ppm	ACGIH
		STEL	10 ppm	ACGIH
phenol	108-95-2	WES-TWA	1 ppm 3.8 mg/m ³	NZ OEL
	Further information: Skin absorption			
		WES-STEL	2 ppm	NZ OEL

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 000000000050629330 Date of last issue: 07.03.2025
 Date of first issue: 07.03.2025

			7.7 mg/m ³	
Further information: Skin absorption				
		TWA	5 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
dichloromethane	75-09-2	Dichloromethane	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/l	ACGIH BEI
phenol	108-95-2	Total phenol	Urine	End of shift	100 mg/l	NZ BEI
		Phenol	Urine	End of shift (As soon as possible after	250 mg/g creatinine	ACGIH BEI

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29330	Date of first issue: 07.03.2025

				exposur e ceases)		
--	--	--	--	-------------------------	--	--

Engineering measures : Ensure adequate ventilation.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapor Type

Hand protection

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. chloroprene rubber (CR) - 0.5 mm coating thickness nitrile rubber (NBR) - 0.4 mm coating thickness Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1 The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

Preventive skin protection

Eye protection : Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Skin and body protection : Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

Protective measures : Do not breathe vapour/spray.

Eye wash fountains and safety showers must be easily accessible.

If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits, appropriate certified respirators must be worn.

Avoid contact with the skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

Section 9: Physical and chemical properties

Appearance : liquid

Color : opaque

Odor : ether-like

Odor Threshold : not determined

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

pH : < 2

Melting point/ range : not determined

Boiling point/boiling range : > 48 °C

Flash point : > 99 °C

Evaporation rate : not determined

Flammability : Does not sustain combustion.

Lower explosion limit / Lower flammability limit : not determined

Vapor pressure : not determined (20 °C)
not determined (50 °C)

Relative vapor density : Heavier than air.

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

Metal corrosion rate : Not corrosive to metals.

Section 10: Stability and reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Vapours may form ignitable mixture with air.

Conditions to avoid : Avoid direct sunlight.

When exposed to naked flames or hot surfaces (above 120 °C) the product will decompose, forming highly irritating substances.

Protect from frost.

Heat, flames and sparks.

Heat.

Incompatible materials : Bases

Hazardous decomposition products : No decomposition if stored and applied as directed.

Section 11: Toxicological information**Acute toxicity**

Harmful if swallowed.

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

Product:

Acute oral toxicity : Acute toxicity estimate: 1,976 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h

Test atmosphere: vapor

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:**formic acid:**

Acute oral toxicity : LD50 (Rat): 730 mg/kg

Acute inhalation toxicity : LC50 (Rat): 7.85 mg/l
Exposure time: 4 h

Test atmosphere: vapor

Assessment: Corrosive to the respiratory tract.

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

phenol:

Acute dermal toxicity : LD50 (Rat): 660 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Result : Corrosive after 4 hours or less of exposure

Remarks : The value is calculated

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization**Skin sensitization**

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Chronic toxicity**Germ cell mutagenicity**

Suspected of causing genetic defects.

Carcinogenicity

Suspected of causing cancer.

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.
May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.
May cause damage to organs (Kidney, Liver, Blood, Central nervous system, lung) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Section 12: Ecological information**Ecotoxicity****Components:****Benzene, C10-16-alkyl derivs.:**

M-Factor (Acute aquatic : 100
toxicity)

M-Factor (Chronic : 1
aquatic toxicity)

Persistence and degradability

No data available

Bioaccumulative potential**Components:****dichloromethane:**

Partition coefficient: n- : log Pow: 1.25 (20 °C)
octanol/water
pH: 7

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

Remarks: Information taken from reference works
and the literature.

formic acid:

Partition coefficient: n-
octanol/water : log Pow: -2.1 (23 °C)

pH: 7.0

GLP: yes

log Pow: -1.9 (23 °C)

pH: 5.0

GLP: yes

log Pow: -2.3 (23 °C)

pH: 9.0

GLP: yes

phenol:

Partition coefficient: n-
octanol/water : log Pow: 1.47 (30 °C)

pH: 3 - 8

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29330	Date of first issue: 07.03.2025

Method: OECD Test Guideline 117

Remarks: Information taken from reference works
and the literature.**Benzenesulfonic acid, C10-16-alkyl derivs.:**Partition coefficient: n- : Remarks: Not applicable
octanol/water**Mobility in soil**

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Do not discharge into drains/surface waters/groundwater.

Observe national and local legal requirements.

Contaminated packaging : Containers which are not properly emptied must be disposed
pursuant to Directive 2008/98/ECPackaging that is not properly emptied must be disposed of as
the unused product.**Section 14: Transport information****International Regulations**

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

UNRTDG

UN number : UN 2927
Proper shipping name : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
(FORMIC ACID, PHENOL)
Class : 6.1
Subsidiary risk : 8
Packing group : II
Labels : 6.1 (8)
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 2927
Proper shipping name : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
(FORMIC ACID, PHENOL)
Class : 6.1
Subsidiary risk : 8
Packing group : II
Labels : Toxic, Corrosive
Packing instruction (cargo aircraft) : 660
Packing instruction (passenger aircraft) : 653

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025
Date of first issue: 07.03.2025

IMDG-Code

UN number : UN 2927
Proper shipping name : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
(FORMIC ACID, PHENOL)
Class : 6.1
Subsidiary risk : 8
Packing group : II
Labels : 6.1 (8)
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NZS 5433**

UN number : UN 2927
Proper shipping name : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
(FORMIC ACID, PHENOL)
Class : 6.1
Subsidiary risk : 8
Packing group : II
Labels : 6.1 (8)

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	14.04.2025	0000000000506 29330	07.03.2025
			Date of first issue: 07.03.2025

Hazchem Code : 2X

Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 154

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

not allocated

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

Section 16: Other information

Revision Date : 14.04.2025

Further information

**TERGOSTRIP B/O (6 X 0,5
L)**

Version 2.0 Revision Date: 14.04.2025 SDS Number: 0000000000506
29330 Date of last issue: 07.03.2025 Date of first issue: 07.03.2025

Other information : For multi-pack systems observe material safety data sheets of all components.
Restricted to professional users.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

NZ BEI : New Zealand. Biological Exposure Indices

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); EC_x - Concentration associated with x% response; EL_x - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New

**TERGOSTRIP B/O (6 X 0,5
L)**

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2025
2.0	14.04.2025	0000000000506 29330	Date of first issue: 07.03.2025

Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN