





Version Revision Date: SDS Number: Date of last issue: 06.03.2025 2.0 14.04.2025 000000000506 28907 Date of first issue: 06.03.2025

Section 1: Identification
---------------------------

Product name

: TERGO BLACKGUARD (6 X 0,5 L)

Product code

: 00000000050628907

#### Manufacturer or supplier's details

BASF Coatings and Chemetall New Zealand Limited Level 1, 527A Rosebank Road, Avondale Auckland 1026 New Zealand Telephone: 008 837 464, +64 9 820 3888 Telefax number: +64 9 820 3979 E-mail address: nzadmin@basf.com

#### **Emergency contact**

Telephone: +64 9 255-4300 E-mail address: ProductSafety\_EC\_APAC@basf.com, nzadmin@basf.com

Emergency telephone : National Poisons Centre: 0800 764 766 BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only) BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)







Version Rev 2.0 14.0

Revision Date: 14.04.2025

SDS Number: 0000000000506 28907 Date of last issue: 06.03.2025 Date of first issue: 06.03.2025

Recommended use of the chemical and restrictions on use				
Recommended use	:	Rust remover		
Restrictions on use	:	Uses other than recommended		

#### Section 2: Hazard identification

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

### Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## Section 3: Composition/information on ingredients

Substance / Mixture	:	Mixture
Chemical nature	:	organic compounds
		organic solvent
		Water
		polymers

#### Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonyms		







Version 2.0 Revision Date: 14.04.2025

SDS Number: 0000000000506 28907 Date of last issue: 06.03.2025 Date of first issue: 06.03.2025

tannins	Tannins	1401-55-4	>= 2.5 -< 10
2-butoxyethanol	2-butoxyethanol	111-76-2	>= 1 -< 10

Section 4: First-aid measures		<b>-</b>
General advice	:	First aid personnel should pay attention to their own safety.
		If the patient is likely to become unconscious, place and transport in stable sideways position (recovery
		position).
		Immediately remove contaminated clothing.
		In all cases of doubt, or when symptoms persist, seek medical attention.
		Move out of dangerous area.
		Never give anything by mouth to an unconscious person.
If inhaled	:	If symptoms persist, call a physician.
		If breathed in, move person into fresh air.
		If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	:	If symptoms persist, call a physician.
		Wash off immediately with soap and plenty of water





# TERGO BLACKGUARD (6 X 0,5 L)

	while removing all contaminated clothes and shoes.
	Do NOT use solvents or thinners.
In case of eye contact :	If symptoms persist, call a physician.
	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If swallowed :	If symptoms persist, call a physician.
	Do NOT induce vomiting.
	Rinse mouth.
Most important : symptoms and effects, both acute and delayed	Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
Notes to physician :	No known specific antidote. Treat symptomatically.
Section 5: Fire-fighting measures	
Suitable extinguishing : media	Water spray jet
media	Dry powder
	Alcohol-resistant foam
	Carbon dioxide (CO2)





# TERGO BLACKGUARD (6 X 0,5 L)

Version F 2.0 1

Revision Date: 14.04.2025

SDS Number: 0000000000506 28907 Date of last issue: 06.03.2025 Date of first issue: 06.03.2025

Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Fire will produce dense black smoke containing hazardous combustion products (see section 10).
Advice for firefighters		
Specific extinguishing	:	In the event of fire, cool tanks with water spray.
methods	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	
		Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Special protective equipment for fire- fighters	:	Appropriate breathing apparatus may be required.

Section 6: Accidental release measures







Version 2.0 Revision Date: 14.04.2025

SDS Number: 0000000000506 28907 Date of last issue: 06.03.2025 Date of first issue: 06.03.2025

Personal precautions, : protective equipment and emergency procedures	Avoid breathing vapours.	
	Keep away from sources of ignition.	
	Advice on product handling can be found in sections 7 and 8 of this safety data sheet.	
	For non-emergency personnel:	
	For emergency responders:	
	Use personal protective equipment.	
	Ensure adequate ventilation, especially in confined areas.	
Environmental precautions :	Do not allow uncontrolled discharge of product into the environment.	
	Avoid subsoil penetration.	
	If the product contaminates rivers and lakes or drains inform respective authorities.	
Methods and materials for :	Ensure adequate ventilation.	
containment and cleaning	Contain spillage, soak up with non-combustible	





# TERGO BLACKGUARD (6 X 0,5 L)

Version Revision Date: SDS Number: Date of last i 2.0 14.04.2025 000000000506 28907 Date of first i

Date of last issue: 06.03.2025 Date of first issue: 06.03.2025

up

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Section 7: Handling and storage Advice on protection against fire and explosion	:	Avoid all sources of ignition: heat, sparks, open flame. The relevant fire protection measures should be noted.
Advice on safe handling	:	Provide good ventilation of working area (local exhaust ventilation if necessary).
		Do not return residues to the storage containers.
		Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws.
		The workplace should be equipped with an emergency shower and eye-rinsing facility.
		Avoid contact with the skin, eyes and clothing.
		Handle in accordance with good industrial hygiene and safety practice.





# TERGO BLACKGUARD (6 X 0,5 L)

Version	Revision Date:	SDS Number:	Date of last issue: 06.03.2025
2.0	14.04.2025	0000000000506	Date of first issue: 06.03.2025
		28907	Date of first issue. 00.03.2023

		Do not breathe vapors or spray mist.
Hygiene measures :	Remove contaminated clothing immediately and dispose of safely.	
		Wash hands before breaks and at the end of workday.
		Keep away from food, drink and animal feedingstuffs.
Further information on : storage conditions	Avoid direct sunlight.	
	Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel.	
	Always keep in containers of same material as the original one.	
		Observe label precautions.
		Keep in a dry, cool and well-ventilated place.
Materials to avoid	:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.





# TERGO BLACKGUARD (6 X 0,5 L)

Version Revision Date: SDS Number: Date of last issue: 06.03.2025 2.0 14.04.2025 00000000506 28907 Date of first issue: 06.03.2025

Packaging material	:	Suitable material: High density polyethylene (HDPE),
		Low density polyethylene (LDPE),
		Polyethylenetherephtalate (PET), Polypropylene, Carbon
		steel (Iron), tinned carbon steel (Tinplate)

## Section 8: Exposure controls/personal protection

## Ingredients with workplace control parameters

• ·	•					
Components	CAS-No.	Value type	Control	Basis		
		(Form of	parameters /			
		exposure)	Permissible			
			concentration			
2-butoxyethanol	111-76-2	WES-TWA	25 ppm	NZ OEL		
,						
			121 mg/m3			
	Further information: Skin absorption					
		TWA	20 ppm	ACGIH		

## **Biological occupational exposure limits**

Components	CAS-No.	Control	Biological	Samplin	Permissibl	Basis
		parameter	specimen	g time	e	
		s			concentrat	
					ion	
2-butoxyethanol	111-76-2	Butoxyacet	Urine	End of	200 mg/g	ACGIH
		ic acid		shift (As	creatinine	BEI
				soon as		





# TERGO BLACKGUARD (6 X 0,5 L)

Engineering measures	(BAA) possible after exposur e ceases) : Ensure adequate ventilation.			
Personal protective equi	ent			
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.			
Filter type	Organic vapor Type			
Hand protection				
Remarks	: The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. nitrile rubber (NBR) - 0.4 mm coating thickness Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1 The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.			





# TERGO BLACKGUARD (6 X 0,5 L)

		Preventive skin protection
Eye protection	:	Safety glasses with side-shields conforming to EN166
Skin and body protection	:	Chemical resistant protective clothing according to DIN EN 13034 (Type 6)
Protective measures	:	Do not breathe vapour/spray.
		Eye wash fountains and safety showers must be easily accessible.
		If these are not sufficient to maintain concentrations at the workplace below the occupational exposure limits, appropriate certified respirators must be worn.
		Avoid contact with the skin, eyes and clothing.
		Handle in accordance with good industrial hygiene and safety practice.

Section 9: Physical and cl Appearance	h <b>emical properties</b> : liquid	
Color	: white	
Odor	: No data available	
Odor Threshold	: not determined	







рН	:	substance/mixture is non-soluble (in water)
Melting point/ range	:	not determined
Boiling point/boiling range	:	> 95 °C
Flash point	:	> 99 °C
Evaporation rate	:	not determined
Flammability	:	Does not sustain combustion.
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapor pressure	:	not determined (20 °C)
		not determined (50 °C)
Relative vapor density	:	Heavier than air.







		Lighter than air.
Density	:	1.240 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	not determined
Autoignition temperature	:	not determined
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity Viscosity, kinematic	:	6 mm2/s ( 23 °C)
		not determined (40 °C)
Flow time	:	< 30 s (23 °C) Cross section: 3 mm Method: ISO 2431
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Self-heating substances	:	The substance or mixture is not classified as self heating.







Version Revision Date: SDS Number: Date of last issue: 06.03.2025 2.0 14.04.2025 00000000506 28907 Date of first issue: 06.03.2025

Metal corrosion rate	:	Not corrosive to metals.
ion 10: Stability and reactivity	у	
Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No hazardous reactions when stored and handled according to instructions.
Conditions to avoid	:	Avoid direct sunlight.
		Heat, flames and sparks.
Incompatible materials	:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

### Acute toxicity

Based on available data, the classification criteria are not met.

## Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg







Version 2.0 14.04.2025

**Revision Date:** 

SDS Number: 000000000506 28907

Date of last issue: 06.03.2025 Date of first issue: 06.03.2025

## Method: Calculation method

#### Components:

2-butoxyethanol: Acute oral toxicity : LD50 (guinea pig): 1,200 mg/kg

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitization

#### Skin sensitization

Based on available data, the classification criteria are not met.

#### **Respiratory sensitization**

Based on available data, the classification criteria are not met.

#### **Chronic toxicity**

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.







Version Revisio 2.0 14.04.2

Revision Date: 14.04.2025

SDS Number: 0000000000506 28907 Date of last issue: 06.03.2025 Date of first issue: 06.03.2025

STOT-repeated exposure		
	clas	sification criteria are not met.
Aspiration toxicity Based on available data, the	clas	sification criteria are not met.
ction 12: Ecological informa	tion	
<b>Ecotoxicity</b> No data available		
<b>Persistence and degradab</b> No data available	ility	
Bioaccumulative potential		
Components:		
<b>2-butoxyethanol:</b> Partition coefficient: n- octanol/water	:	log Pow: 0.81 (25 °C)
Octanol/ water		GLP: no
Mobility in soil		
No data available		
Other adverse effects No data available		
ction 13: Disposal considera	tion	5
Disposal methods		
Waste from residues	:	Do not discharge into drains/surface waters/groundwater.
		Observe national and local legal requirements.
Contaminated packaging		Containers which are not properly emptied must be disposed







Version Revis 2.0 14.04

Revision Date: 14.04.2025

SDS Number: 0000000000506 28907 Date of last issue: 06.03.2025 Date of first issue: 06.03.2025

pursuant to Directive 2008/98/EC

Packaging that is not properly emptied must be disposed of as the unused product.

## Section 14: Transport information

### International Regulations

UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

### IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable







Version 2.0 Revision Date: 14.04.2025

SDS Number: 0000000000506 28907 Date of last issue: 06.03.2025 Date of first issue: 06.03.2025

Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

## IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

## **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

### **Domestic regulation**

## NZS 5433

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable







Version Revision Date: SDS Number: Date of last issue: 06.03.2025 2.0 14.04.2025 00000000506 28907 Date of first issue: 06.03.2025

Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable
Special precautions for user	•	
Remarks	:	Not classified as dangerous in the meaning of transport regulations.

#### Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number Not applicable

## **Tolerable Exposure Limits (TEL)**

Not applicable

**Environmental Exposure Limits (EEL)** 

Not applicable

#### **HSW Controls**

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

Section 16: Other information	
Revision Date	:

ate : 14.04.2025







Version Revision Date: SDS Number: Date of last issue: 06.03.2025 2.0 14.04.2025 000000000506 28907 Date of first issue: 06.03.2025

For multi-pack systems observe material safety data sheets of all components. Restricted to professional users.
dd.mm.yyyy
USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
8-hour, time-weighted average Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial





# TERGO BLACKGUARD (6 X 0,5 L)

Version 2.0 Revision Date: 14.04.2025

SDS Number: 0000000000506 28907

Date of last issue: 06.03.2025 Date of first issue: 06.03.2025

Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN