





Version 1.0 Revision Date: 06.03.2025

SDS Number: Date of last issue: -0000000000506289 Date of first issue: 06.03.2025 07

Section 1: Identification

Product name	:	TERGO BLACKGUARD (6 X 0,5 L)
Product code	:	00000000050628907

Manufacturer or supplier's details

BASF Coatings and Chemetall New Zealand Limited Level 1, 527A Rosebank Road, Avondale Auckland 1026 New Zealand Telephone: 008 837 464, +64 9 820 3888 Telefax number: +64 9 820 3979 E-mail address: nzadmin@basf.com

Emergency contact

Telephone: +64 9 255-4300 E-mail address: ProductSafety_EC_APAC@basf.com, nzadmin@basf.com

Emergency telephone : National Poisons Centre: 0800 764 766 BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only) BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)

Recommended use of the chemical and restrictions on use

Recommended use	:	Rust remover
Restrictions on use	:	Uses other than recommended

Section 2: Hazard identification

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.







Version 1.0 Revision Date: 06.03.2025

SDS Number:Date of last issue: -0000000000000506289Date of first issue: 06.03.202507

Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Section 3: Composition/information on ingredients

Substance / Mixture	: Mixture	
Chemical nature	: organic compou	nds
	organic solvent	
	Water	
	polymers	

Components

Chemical name	CAS-No.	Concentration (% w/w)
tannins	1401-55-4	>= 3 -< 5
2-butoxyethanol	111-76-2	>= 2 -< 2.5

Section 4: First-aid measures

Consejos generals	:	First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical attention. Move out of dangerous area. Never give anything by mouth to an unconscious person.
If inhaled	:	If symptoms persist, call a physician. If breathed in, move person into fresh air. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact	:	If symptoms persist, call a physician. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Do NOT use solvents or thinners.
In case of eye contact	:	If symptoms persist, call a physician. In case of eye contact, remove contact lens and rinse imme- diately with plenty of water, also under the eyelids, for at least 15 minutes.
If swallowed	:	If symptoms persist, call a physician. Do NOT induce vomiting. Rinse mouth.
Most important symptoms and effects, both acute and delayed	:	Information, i.e. additional information on symptoms and ef- fects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
Notes to physician	:	No known specific antidote.







Version 1.0

Revision Date: 06.03.2025

SDS Number: 07

Date of last issue: -000000000506289 Date of first issue: 06.03.2025

Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray jet Dry powder Alcohol-resistant foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Fire will produce dense black smoke containing hazardous combustion products (see section 10).
Specific extinguishing meth- ods	:	In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Special protective equipment for fire-fighters	•	Appropriate breathing apparatus may be required.

Section 6: Accidental release measures

Personal precautions, protec- : tive equipment and emer- gency procedures	Avoid breathing vapours. Keep away from sources of ignition. Advice on product handling can be found in sections 7 and 8 of this safety data sheet. For non-emergency personnel: For emergency responders: Use personal protective equipment. Ensure adequate ventilation, especially in confined areas.
Environmental precautions :	Do not allow uncontrolled discharge of product into the envi- ronment. Avoid subsoil penetration. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Ensure adequate ventilation. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Section 7: Handling and storage

Advice on protection against	:	Avoid all sources of ignition: heat, sparks, open flame.
------------------------------	---	--



0,5 L)







VersionRevision Date:SDS Number:Date of last issue: -1.006.03.2025000000000506289Date of first issue: 06.03.202507

fire and explosion	The relevant fire protection measures should be noted.
Advice on safe handling	 Provide good ventilation of working area (local exhaust ventilation if necessary). Do not return residues to the storage containers. Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws. The workplace should be equipped with an emergency shower and eye-rinsing facility. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Do not breathe vapors or spray mist.
Hygiene measures	 Remove contaminated clothing immediately and dispose of safely. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feedingstuffs.
Further information on stor- age conditions	 Avoid direct sunlight. Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel. Always keep in containers of same material as the original one. Observe label precautions. Keep in a dry, cool and well-ventilated place.
Materials to avoid	: Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
Packaging material	: Suitable material: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethylenetherephtalate (PET), Polypropylene, Carbon steel (Iron), tinned carbon steel (Tinplate)

Section 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis		
		(Form of	ters / Permissible			
		exposure)	concentration			
2-butoxyethanol	111-76-2	WES-TWA	25 ppm	NZ OEL		
			121 mg/m3			
	Further information: Skin absorption					
		TWA	20 ppm	ACGIH		







Version F 1.0 (

Revision Date: 06.03.2025

SDS Number:Date of last issue: -0000000000000506289Date of first issue: 06.03.202507

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
2-butoxyethanol	111-76-2	Butoxyace- tic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g creatinine	ACGIH BEI
Engineering measures	: Ens	sure adequate	ventilation.			
Personal protective equ	ipment					
Respiratory protection		en workers ar t they must us			above the exp espirators.	osure
Filter type Hand protection	: Org	janic vapor Ty	pe			
Remarks	tion der nes time glov ical Glo cati	is of Regulatic ived from it. ni is Performanc e of >480 min ve should be t strength, proc ives should be	n (EU) 2016 trile rubber (e level 6, con according to ested for its duct compati discarded a	/425 and th NBR) - 0.4 rresponding EN ISO 37 specific suit bility, anti-s nd replaced	atisfy the spec le standard EN mm coating th to a breakthro 74-1 The prote tability (e.g. mo tatic properties d if there is any nrough. Preven	l 374 lick- ough ction echan- s). y indi-
Eye protection	: Saf	ety glasses w				
Skin and body protection	130)34 (Type 6)	•	clothing ac	cording to DIN	EN
Protective measures	Eye ces If th wor ate Avo Har	sible. hese are not si rkplace below certified respi bid contact wit	ufficient to m the occupati rators must l h the skin, ey	aintain con onal exposi be worn. yes and clo	must be easily centrations at ure limits, app thing. al hygiene and	the ropri-

Section 9: Physical and chemical properties

Appearance	:	liquid
Color	:	white







VersionRevision Date:SDS Number:Date of last issue: -1.006.03.2025000000000506289Date of first issue: 06.03.202507

Odor	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Melting point/ range	:	not determined
Boiling point/boiling range	:	> 95 °C
Flash point	:	> 99 °C
Flammability (liquids)	:	Does not sustain combustion.
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapor pressure	:	not determined
		not determined
Relative vapor density	:	Heavier than air.
		Lighter than air.
Density	:	1.240 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	not determined
Autoignition temperature	:	not determined
Decomposition temperature	:	No decomposition if stored and handled as pre- scribed/indicated.
Viscosity Viscosity, kinematic	:	6 mm2/s (23 °C)
		not determined
Flow time	:	< 30 s (23 °C) Cross section: 3 mm Method: ISO 2431
Explosive properties	:	Not explosive







Version 1.0	Revision Date: 06.03.2025	SDS Number: 0000000000506289 07	Date of last issue: - Date of first issue: 06.03.2025

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Self-heating substances	:	The substance or mixture is not classified as self heating.
Metal corrosion rate	:	Not corrosive to metals.

Section 10: Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reac- tions	:	No dangerous reaction known under conditions of normal use. No decomposition if stored and applied as directed. No hazardous reactions when stored and handled according to instructions.
Conditions to avoid	:	Avoid direct sunlight. Heat, flames and sparks.
Incompatible materials	:	
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

Section 11: Toxicological information

Acute toxicity					
Not classified due to lack of data.					
Product:					
Acute oral toxicity :	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method				
Components:					
2-butoxyethanol:					
Acute oral toxicity :	LD50 (guinea pig): 1,200 mg/kg				
Skin corrosion/irritation					
Not classified due to lack of data.					
Serious eye damage/eye irritation Not classified due to lack of data.					
Respiratory or skin sensitization					
Skin sensitization Not classified due to lack of data.					







Version 1.0

Revision Date: 06.03.2025

SDS Number: 07

Date of last issue: -0000000000506289 Date of first issue: 06.03.2025

Respiratory sensitization Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity Not classified due to lack of data.

Carcinogenicity Not classified due to lack of data.

Reproductive toxicity Not classified due to lack of data.

STOT-single exposure Not classified due to lack of data.

STOT-repeated exposure Not classified due to lack of data.

Aspiration toxicity Not classified due to lack of data.

Section 12: Ecological information

Ecotoxicity No data available	
Persistence and degradability No data available Bioaccumulative potential	
Components:	
2-butoxyethanol: Partition coefficient: n- : octanol/water	log Pow: 0.81 (25 °C) GLP: no
Mobility in soil	

No data available

Other adverse effects

No data available







Version 1.0

Revision Date: 06.03.2025

SDS Number: 000000000506289 Date of first issue: 06.03.2025 07

Date of last issue: -

Section 13: Disposal considerations

Disposal methods		
Waste from residues	:	Do not discharge into drains/surface waters/groundwater. Observe national and local legal requirements.
Contaminated packaging	:	Containers which are not properly emptied must be disposed pursuant to Directive 2008/98/EC Packaging that is not properly emptied must be disposed of as the unused product.

Section 14: Transport information

International Regulations

UNRTDG UN number Proper shipping name Class Subsidiary risk Packing group Labels Environmentally hazardous	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable no
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.







Version 1.0 Revision Date: 06.03.2025

SDS Number: Date of last issue: -0000000000506289 Date of first issue: 06.03.2025 07

Domestic regulation

NZS 5433 UN number Proper shipping name Class Subsidiary risk Packing group Labels	: : : : : : : : : : : : : : : : : : : :	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
Hazchem Code Special precautions for user	:	Not applicable
Remarks	:	Not classified as dangerous in the meaning of transport regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

Not applicable

Tolerable Exposure Limits (TEL) Not applicable

Environmental Exposure Limits (EEL) Not applicable

HSW Controls

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

Section 16: Other information

Revision Date	:	06.03.2025	
Further information			
Other information	:	For multi-pack systems observe material safety data sheets of all components. Restricted to professional users.	
Date format	:	dd.mm.yyyy	
Full text of other abbreviations			
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)	



1.0



Chemetall expect more O



Version **Revision Date:** SDS Number: Date of last issue: -06.03.2025 0000000000506289 Date of first issue: 06.03.2025 07

•

ACGIH BEI ACGIH - Biological Exposure Indices (BEI) : NZ OEL New Zealand. Workplace Exposure Standards for Atmospheric Contaminants ACGIH / TWA 8-hour, time-weighted average : Workplace Exposure Standard - Time Weighted average NZ OEL / WES-TWA

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN