

**SUPERTAK HIGH PERFORMANCE**  
 Revision Number 2.01

**Revision Date** 28-May-2018  
**Supersedes Date:** 07-Nov-2017

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

**Product Name** SUPERTAK HIGH PERFORMANCE  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Adhesives.  
**Uses advised against** No information available.

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik New Zealand Limited  
 19 Eastern Hutt Road Wingate,  
 Lower Hutt, New Zealand  
 Tel: 04-567 5119  
 Fax: 04-567 5412

#### Manufacturer

Bostik Inc.  
 11320 W. Watertown Plank Road  
 Wauwatosa, Wisconsin 53226 USA  
 Phone: +1 (800) 843-0844 (Domestic Toll Free)  
 Phone: +1 (414) 774-2250 (International)  
 Fax: +1 (414) 774-8075

### 1.4. Emergency telephone number

**Emergency Telephone** 24 Hr: 0800 243 622  
 +64 4 917 9888  
 Poison Centre : 0800 764 766

**E-mail address** SDS.AP@Bostik.com

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the substance or mixture

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Skin Corrosion/Irritation         | Category 3 (6.3B)                  |
| Serious Eye Damage/Eye Irritation | Category 2A (6.4A)                 |
| Skin sensitization                | Category 1 (6.5B)                  |
| STOT - Single Exposure            | Category 3 <sup>(i)</sup>          |
| Acute aquatic toxicity            | Category 2 (9.1D)                  |
| Chronic aquatic toxicity          | Category 2 (9.1B)                  |
| Aerosols                          | Category 1 (2.1.2A <sup>b)</sup> ) |

Classification in parenthesis is applicable for New Zealand Hazard Classification

**ERMA Group** HSR002515

### 2.2. Label Elements



**Signal Word**

DANGER

#### Hazard statements

H336 - May cause drowsiness or dizziness  
 H411 - Toxic to aquatic life with long lasting effects  
 H317 - May cause an allergic skin reaction

# Safety Data Sheet

**SUPERTAK HIGH PERFORMANCE**  
**Revision Number** 2.01

**Revision Date** 28-May-2018  
**Supersedes Date:** 07-Nov-2017

H316 - Causes mild skin irritation  
H319 - Causes serious eye irritation  
H222 - Extremely flammable aerosol  
H229 - Pressurized container: May burst if heated

## **Precautionary Statements - General**

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children

## **Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P271 - Use only outdoors or in a well-ventilated area  
P273 - Avoid release to the environment  
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
P211 - Do not spray on an open flame or other ignition source  
P251 - Pressurized container: Do not pierce or burn, even after use

## **Precautionary Statements - Response**

P321 - Specific treatment (see supplemental first aid instructions on this label)

## **Inhalation**

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P312 - Call a POISON CENTER or doctor if you feel unwell

## **Skin**

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention  
P363 - Wash contaminated clothing before reuse

## **Eyes**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337 + P313 - If eye irritation persists: Get medical advice/attention

## **Spill**

P391 - Collect spillage

## **Precautionary Statements - Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up  
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

## **Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

## **2.3. Other Hazards**

## **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.1 Substances**

Mixture

### **3.2 Mixtures**

| Chemical Name              | CAS No   | Weight-% |
|----------------------------|----------|----------|
| Acetone                    | 67-64-1  | 20- <40  |
| Methyl acetate             | 79-20-9  | 5 - <10  |
| Parachlorobenzotrifluoride | 98-56-6  | 1 - <5   |
| n-Heptane                  | 142-82-5 | 1 - <3   |

\*\*\* Any remaining ingredients are not hazardous

## **Section 4: FIRST AID MEASURES**

### **4.1. Description of first aid measures**

#### **General Advice**

If medical advice is needed, have product container or label at hand.

# Safety Data Sheet

SUPERTAK HIGH PERFORMANCE  
Revision Number 2.01

Revision Date 28-May-2018  
Supersedes Date: 07-Nov-2017

|                                    |                                                                                                                                                                                            |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation                         | Remove to fresh air.                                                                                                                                                                       |
| Skin Contact                       | Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.                                                                                               |
| Eye contact                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| Ingestion                          | If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.                                                                                    |
| Self-Protection of the First Aider | Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.                                                         |

## 4.2. Most important symptoms and effects, both acute and delayed

|          |             |
|----------|-------------|
| Symptoms | None known. |
|----------|-------------|

## 4.3. Indication of any immediate medical attention and special treatment needed

|                    |                        |
|--------------------|------------------------|
| Note to physicians | Treat symptomatically. |
|--------------------|------------------------|

## 4.4. Reference to Other Sections

|                             |                                                                                                                            |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Reference to other sections | See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------|

## **Section 5: FIRE-FIGHTING MEASURES**

### 5.1. Extinguishing media

|                                |                                                                                                            |
|--------------------------------|------------------------------------------------------------------------------------------------------------|
| Suitable Extinguishing Media   | Move containers from fire area if you can do it without risk. Use CO <sub>2</sub> , dry chemical, or foam. |
| Unsuitable Extinguishing Media | No information available.                                                                                  |

### 5.2. Special hazards arising from the substance or mixture

|                                            |                                                                    |
|--------------------------------------------|--------------------------------------------------------------------|
| Specific Hazards Arising from the Chemical | Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). |
| Hazardous Combustion Products              | Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ). Formaldehyde.  |

### 5.3. Advice for firefighters

|                                                |                                                                         |
|------------------------------------------------|-------------------------------------------------------------------------|
| Special Protective Equipment for Fire-fighters | Wear self contained breathing apparatus for fire fighting if necessary. |
|------------------------------------------------|-------------------------------------------------------------------------|

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

|                          |                                                                                                                                    |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Personal Precautions     | Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.       |
| Other Information        | Ventilate the area.                                                                                                                |
| For emergency responders | Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use personal protection recommended in Section 8. |

### 6.2. Environmental precautions

|                           |                                                                                      |
|---------------------------|--------------------------------------------------------------------------------------|
| Environmental Precautions | Do not empty into drains, dispose of this material and its container at hazardous or |
|---------------------------|--------------------------------------------------------------------------------------|

# Safety Data Sheet

SUPERTAK HIGH PERFORMANCE  
Revision Number 2.01

Revision Date 28-May-2018  
Supersedes Date: 07-Nov-2017

special waste collection point.

## 6.3. Methods and material for containment and cleaning up

**Methods for Containment** Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**Methods for cleaning up** Do not direct water at spill or source of leak.

## 6.4. Reference to other sections

**Reference to other sections** See Section 12: ECOLOGICAL INFORMATION  
Section 7: HANDLING AND STORAGE  
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

**Advice on safe handling** Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ ventilating/ lighting/ equipment.

### 7.2. Conditions for safe storage, including any incompatibilities

**General Hygiene Considerations** Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

**Storage Conditions** Keep only in the original container/package in a cool well-ventilated place.

**Incompatible Materials** Strong acids and bases

### 7.3. Specific end use(s)

**Other Information** Keep product and empty container away from heat and sources of ignition. Do not reuse container.

### 7.4. References to Other Sections

**Reference to other sections** See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure Limits

| Chemical Name                         | New Zealand                                                                                   | Australia                                                                                 | European Union                              |
|---------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------|
| Acetone<br>67-64-1                    | TWA: 500 ppm<br>TWA: 1185 mg/m <sup>3</sup><br>STEL: 1000 ppm<br>STEL: 2375 mg/m <sup>3</sup> | 500 ppm TWA<br>1185 mg/m <sup>3</sup> TWA<br>1000 ppm STEL<br>2375 mg/m <sup>3</sup> STEL | TWA: 500 ppm<br>TWA: 1210 mg/m <sup>3</sup> |
| Methyl acetate<br>79-20-9             | TWA: 200 ppm<br>TWA: 606 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 757 mg/m <sup>3</sup>    | 200 ppm TWA<br>606 mg/m <sup>3</sup> TWA<br>250 ppm STEL<br>757 mg/m <sup>3</sup> STEL    | -                                           |
| Parachlorobenzotrifluoride<br>98-56-6 | TWA: 2.5 mg/m <sup>3</sup>                                                                    | 2.5 mg/m <sup>3</sup> TWA                                                                 | -                                           |
| n-Heptane<br>142-82-5                 | TWA: 400 ppm<br>TWA: 1640 mg/m <sup>3</sup><br>STEL: 500 ppm<br>STEL: 2050 mg/m <sup>3</sup>  | 400 ppm TWA<br>1640 mg/m <sup>3</sup> TWA<br>500 ppm STEL<br>2050 mg/m <sup>3</sup> STEL  | TWA: 500 ppm<br>TWA: 2085 mg/m <sup>3</sup> |

# Safety Data Sheet

**SUPERTAK HIGH PERFORMANCE**  
Revision Number 2.01

**Revision Date** 28-May-2018  
**Supersedes Date:** 07-Nov-2017

| Chemical Name                         | ACGIH TLV                     | NIOSH IDLH                                                                                                                      | OSHA PEL                                     |
|---------------------------------------|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|
| Acetone<br>67-64-1                    | STEL: 500 ppm<br>TWA: 250 ppm | IDLH: 2500 ppm<br>TWA: 250 ppm<br>TWA: 590 mg/m <sup>3</sup>                                                                    | TWA: 1000 ppm<br>TWA: 2400 mg/m <sup>3</sup> |
| Methyl acetate<br>79-20-9             | STEL: 250 ppm<br>TWA: 200 ppm | IDLH: 3100 ppm<br>TWA: 200 ppm<br>TWA: 610 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 760 mg/m <sup>3</sup>                    | TWA: 200 ppm<br>TWA: 610 mg/m <sup>3</sup>   |
| Parachlorobenzotrifluoride<br>98-56-6 | TWA: 2.5 mg/m <sup>3</sup> F  | IDLH: 250 mg/m <sup>3</sup> F                                                                                                   | TWA: 2.5 mg/m <sup>3</sup> F                 |
| n-Heptane<br>142-82-5                 | STEL: 500 ppm<br>TWA: 400 ppm | IDLH: 750 ppm<br>Ceiling: 440 ppm 15 min<br>Ceiling: 1800 mg/m <sup>3</sup> 15 min<br>TWA: 85 ppm<br>TWA: 350 mg/m <sup>3</sup> | TWA: 500 ppm<br>TWA: 2000 mg/m <sup>3</sup>  |

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available

**OTHER INFORMATION** No information available

## 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Ensure the ventilation system is regularly maintained and tested. Showers  
Eyewash stations  
Ventilation systems.

## PPE - Personal Protection Equipment

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).  
**Skin and Body Protection** Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.  
**Hand Protection** Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.  
**Respiratory Protection** No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.  
**General Hygiene Considerations** Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

**Environmental Exposure Controls** Do not allow into any sewer, on the ground or into any body of water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Appearance** Aerosol  
**Color** White  
**Odor** Solvent  
**Odor Threshold** No information available

| Property                       | Values                   | Remarks • Method           |
|--------------------------------|--------------------------|----------------------------|
| pH                             | No information available |                            |
| Melting point / freezing point | No information available |                            |
| Boiling point / boiling range  | 67.1 °C / 152.7 °F       |                            |
| Flash Point                    | -104.4 °C / -155.9 °F    |                            |
| Evaporation Rate               | No information available |                            |
| Flammability (solid, gas)      | No information available | Not applicable for liquids |
| Flammability Limit in Air      |                          |                            |

# Safety Data Sheet

SUPERTAK HIGH PERFORMANCE  
Revision Number 2.01

Revision Date 28-May-2018  
Supersedes Date: 07-Nov-2017

|                              |                          |
|------------------------------|--------------------------|
| Upper flammability limit:    | 11.4%                    |
| Lower flammability limit:    | 2.2%                     |
| Vapor Pressure               | No information available |
| Vapor Density                | No information available |
| Relative Density             | No information available |
| Water Solubility             | No information available |
| Solubility in Other Solvents | No information available |
| Partition Coefficient        | No information available |
| Autoignition Temperature     | No information available |
| Decomposition Temperature    | No information available |
| Kinematic Viscosity          | No information available |
| Dynamic Viscosity            | No information available |
| Explosive Properties         | No information available |
| Oxidizing Properties         | No information available |

## 9.2. Other information

|                     |                             |
|---------------------|-----------------------------|
| Softening Point     | No information available    |
| Molecular Weight    | No information available    |
| Solvent content (%) | No information available    |
| Solid content (%)   | No information available 34 |
| Density             | 7.360 LB/GAL                |
| Bulk Density        | No information available    |
| VOC                 | 38.4 %                      |

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity Stable under recommended storage conditions.

### 10.2. Chemical stability

### 10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

### 10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and flames.

### 10.5. Incompatible materials

Incompatible Materials Strong acids and bases.

### 10.6. Hazardous decomposition products

Hazardous decomposition products Formaldehyde. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

## Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

#### Acute Toxicity

|                     |                                                                                                                                                |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Information | Harmful by inhalation.                                                                                                                         |
| Inhalation          | May cause drowsiness or dizziness. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. |
| Eye contact         | Severely irritating to eyes.                                                                                                                   |
| Skin Contact        | May cause sensitization by skin contact.                                                                                                       |
| Ingestion           | Not an expected route of exposure.                                                                                                             |

# Safety Data Sheet

SUPERTAK HIGH PERFORMANCE  
Revision Number 2.01

Revision Date 28-May-2018  
Supersedes Date: 07-Nov-2017

## Numerical measures of toxicity

### Unknown acute toxicity

- 32.35 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 12.11 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 12.11 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 9.76 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### Component Information

| Chemical Name                         | Oral LD50            | Dermal LD50             | Inhalation LC50                       |
|---------------------------------------|----------------------|-------------------------|---------------------------------------|
| Acetone<br>67-64-1                    | = 5800 mg/kg ( Rat ) | >15800 mg/Kg (rat)      | = 79 mg/l( Rat ) 4 h                  |
| Methyl acetate<br>79-20-9             | > 5 g/kg ( Rat )     | > 5 g/kg ( Rabbit )     | > 49000 mg/m <sup>3</sup> ( Rat ) 4 h |
| Parachlorobenzotrifluoride<br>98-56-6 | = 13 g/kg ( Rat )    | > 2 mL/kg ( Rabbit )    | = 33 mg/L ( Rat ) 4 h                 |
| n-Heptane<br>142-82-5                 | -                    | = 3000 mg/kg ( Rabbit ) | = 103 g/m <sup>3</sup> ( Rat ) 4 h    |

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                                          |                                                                |
|------------------------------------------|----------------------------------------------------------------|
| <b>Skin Corrosion/Irritation</b>         | Substance may cause slight skin irritation.                    |
| <b>Serious Eye Damage/Eye Irritation</b> | Severe eye irritation.                                         |
| <b>Sensitization</b>                     | May cause sensitization by skin contact.                       |
| <b>Germ Cell Mutagenicity</b>            | No information available.                                      |
| <b>Reproductive Toxicity</b>             | No information available.                                      |
| <b>STOT - Single Exposure</b>            | May cause drowsiness or dizziness.                             |
| <b>STOT - Repeated Exposure</b>          | No information available.                                      |
| <b>Target Organ Effects</b>              | Heart, Central nervous system, Eyes, Respiratory system, Skin. |
| <b>Aspiration hazard</b>                 | No information available.                                      |
| <b>Carcinogenicity</b>                   | No information available.                                      |

## **Section 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

#### Ecotoxicity

#### Product Information

Toxic to aquatic life with long lasting effects.

#### Component Information

Data obtained on the component(s) include

| Chemical Name                         | Algae/aquatic plants                              | Fish                                                                                                                     | Crustacea                                              |
|---------------------------------------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| Acetone<br>67-64-1                    | -                                                 | LC50 96 h 4.74 - 6.33 mL/L<br>(Oncorhynchus mykiss )                                                                     | EC50 48 h 10294 - 17704 mg/L<br>(Daphnia magna Static) |
| Methyl acetate<br>79-20-9             | EC50 72 h > 120 mg/L<br>(Desmodesmus subspicatus) | LC50 96 h 250 - 350 mg/L<br>(Brachydanio rerio static) LC50 96<br>h 295 - 348 mg/L (Pimephales<br>promelas flow-through) | EC50 48 h = 1026.7 mg/L<br>(Daphnia magna )            |
| Parachlorobenzotrifluoride<br>98-56-6 | -                                                 | LC50 48 h 11.5 - 15.8 mg/L<br>(Lepomis macrochirus static)                                                               | EC50 48 h = 3.68 mg/L (Daphnia<br>magna )              |
| n-Heptane<br>142-82-5                 | -                                                 | LC50 96 h = 375.0 mg/L (Cichlid<br>fish )                                                                                | EC50 24 h > 10 mg/L (Daphnia<br>magna )                |

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

# Safety Data Sheet

SUPERTAK HIGH PERFORMANCE  
Revision Number 2.01

Revision Date 28-May-2018  
Supersedes Date: 07-Nov-2017

## 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

## 12.6. Other adverse effects

No information available.

## **Section 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Improper disposal or reuse of this container may be dangerous and illegal.

## **Section 14: TRANSPORTATION INFORMATION**

### IMDG

|                            |                                                     |
|----------------------------|-----------------------------------------------------|
| UN Number                  | UN1950                                              |
| Proper Shipping Name       | Aerosols (n-Heptane), Marine Pollutant              |
| Transport hazard class(es) | 2.1                                                 |
| Marine Pollutant           | P                                                   |
| EmS-No                     | F-D, S-U                                            |
| Special Provisions         | 63,190, 277, 327, 344, 381, 959                     |
| Limited Quantity (LQ)      | See SP277                                           |
| Description                | UN1950, Aerosols (n-Heptane), 2.1, Marine Pollutant |

### IATA

|                            |                                  |
|----------------------------|----------------------------------|
| UN/ID No                   | UN1950                           |
| Proper Shipping Name       | Aerosols, flammable              |
| Transport hazard class(es) | 2.1                              |
| ERG Code                   | 10L                              |
| Limited Quantity (LQ)      | 30 kg G                          |
| Special Provisions         | A145, A167, A802                 |
| Description                | UN1950, Aerosols, flammable, 2.1 |

### ADR

|                            |                                                     |
|----------------------------|-----------------------------------------------------|
| UN/ID No                   | UN1950                                              |
| Proper Shipping Name       | Aerosols, Environmentally Hazardous                 |
| Transport hazard class(es) | 2                                                   |
| Labels                     | 2.2                                                 |
| Description                | UN1950, Aerosols, 2, (E), Environmentally Hazardous |
| Environmental Hazard       | Yes                                                 |
| Limited Quantity (LQ)      | 1 L                                                 |
| Special Provisions         | 327, 625, 344, 190                                  |
| Classification Code        | 5A                                                  |
| Tunnel Restriction Code    | (E)                                                 |

## **Section 15: REGULATORY INFORMATION**

### National Regulations

## **Section 16: OTHER INFORMATION**

# Safety Data Sheet

**SUPERTAK HIGH PERFORMANCE**  
**Revision Number** 2.01

**Revision Date** 28-May-2018  
**Supersedes Date:** 07-Nov-2017

---

*Chronic Hazard Star Legend*

*\* = Chronic Health Hazard*

**Key or legend to abbreviations and acronyms used in the safety data sheet**

No information available

**Key Literature References and Sources for Data**

No information available

**Prepared By** Product Safety & Regulatory Affairs

**Revision Date** 28-May-2018

**Revision Note** SDS sections updated, 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 14, 15, 16.

**Training Advice** Provide adequate information, instruction, and training for operator

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**