

BOSTIK 5612 BUTYL SEALER WHITE
 Revision Number 2

Revision Date 16-May-2018
 Supersedes Date: 28-Jun-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name BOSTIK 5612 BUTYL SEALER WHITE
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik New Zealand Limited
 19 Eastern Hutt Road Wingate,
 Lower Hutt, New Zealand
 Tel: 04-567 5119
 Fax: 04-567 5412

1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622
 +64 4 917 9888
 Poison Centre : 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Skin Corrosion/Irritation	Category 3 (6.3B)
Chronic aquatic toxicity	Category 3 (9.1C)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group HSR002670

2.2. Label Elements

Signal Word WARNING

Hazard statements

H316 - Causes mild skin irritation
 H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - Prevention

P273 - Avoid release to the environment

Skin

P332 + P313 - If skin irritation occurs: Get medical advice/attention

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

Safety Data Sheet

BOSTIK 5612 BUTYL SEALER WHITE
Revision Number 2

Revision Date 16-May-2018
Supersedes Date: 28-Jun-2017

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Naphtha, petroleum, hydrotreated light, <0.1% Benzene	64742-49-0	5 - <10

*** Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air.
Skin Contact	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
Self-Protection of the First Aider	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	None known.
----------	-------------

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
--------------------	------------------------

4.4. Reference to Other Sections

Reference to other sections	See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.
-----------------------------	--

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Use CO2, dry chemical, or foam. Move containers from fire area if you can do it without risk.
Unsuitable Extinguishing Media	No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising from the Chemical	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
--	--

5.3. Advice for firefighters

Special Protective Equipment for Fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.
--	---

Safety Data Sheet

BOSTIK 5612 BUTYL SEALER WHITE
Revision Number 2

Revision Date 16-May-2018
Supersedes Date: 28-Jun-2017

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions	Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.
For emergency responders	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2. Environmental precautions

Environmental Precautions	Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
---------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for Containment	Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections	See Section 12: ECOLOGICAL INFORMATION Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
-----------------------------	---

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling	Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ventilating/ lighting/ equipment.
-------------------------	---

7.2. Conditions for safe storage, including any incompatibilities

General Hygiene Considerations	Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.
Storage Conditions	Keep only in the original container/package in a cool well-ventilated place.
Incompatible Materials	Strong acids and bases

7.3. Specific end use(s)

Other Information	No information available.
-------------------	---------------------------

7.4. References to Other Sections

Reference to other sections	See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.
-----------------------------	--

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Safety Data Sheet

BOSTIK 5612 BUTYL SEALER WHITE
Revision Number 2

Revision Date 16-May-2018
Supersedes Date: 28-Jun-2017

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

OTHER INFORMATION No information available

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

PPE - Personal Protection Equipment

Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.
Hand Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory Protection	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
General Hygiene Considerations	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Thixotropic Paste
Color	White
Odor	Slight
Odor Threshold	No information available

Property	Values	Remarks • Method
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	Not applicable for liquids
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Relative Density	No information available	
Water Solubility	No information available	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available

Safety Data Sheet

BOSTIK 5612 BUTYL SEALER WHITE
Revision Number 2

Revision Date 16-May-2018
Supersedes Date: 28-Jun-2017

Solvent content (%)	No information available
Solid content (%)	No information available
Density	1.9 g/cm ³
Bulk Density	No information available
VOC	

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and flames.

10.5. Incompatible materials

Incompatible Materials Strong acids and bases.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Numerical measures of toxicity

Unknown acute toxicity

- 8.4528 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 8.4528 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 14.2638 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 14.2638 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 14.2638 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha, petroleum, hydrotreated light, <0.1% Benzene 64742-49-0	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 73680 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation No information available.

Safety Data Sheet

BOSTIK 5612 BUTYL SEALER WHITE
Revision Number 2

Revision Date 16-May-2018
Supersedes Date: 28-Jun-2017

Serious Eye Damage/Eye Irritation	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Eyes, Respiratory system, Skin.
Aspiration hazard	No information available.
Carcinogenicity	No information available.

IARC (International Agency for
Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

Harmful to aquatic life with long lasting effects.

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Naphtha, petroleum, hydrotreated light, <0.1% Benzene 64742-49-0	-	-	LC50 96 h = 2.6 mg/L (Chaetogammarus marinus)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused
Products

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORTATION INFORMATION

IMDG

Not regulated

Safety Data Sheet

BOSTIK 5612 BUTYL SEALER WHITE
Revision Number 2

Revision Date 16-May-2018
Supersedes Date: 28-Jun-2017

<u>IATA</u>	Not regulated
-------------	---------------

<u>ADR</u>	Not regulated
------------	---------------

Section 15: REGULATORY INFORMATION

National Regulations

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By	Product Safety & Regulatory Affairs
--------------------	-------------------------------------

Revision Date	16-May-2018
----------------------	-------------

Revision Note	Not applicable.
----------------------	-----------------

Training Advice	Provide adequate information, instruction, and training for operator
------------------------	--

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet