



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Hazardous Substances (Safety Data Sheets) Notice 2017 EPA Consolidation 30  
September 2022

**BOSTIK SAFE SEAL White**  
Revision Number 2

**Revision date** 05-May-2025  
**Supersedes date** 22-Nov-2022

## Section 1: Identification

### Product identifier

**Product Name** BOSTIK SAFE SEAL White

### Other means of identification

### Recommended use of the chemical and restrictions on use

**Recommended use** Sealant

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### Supplier

Bostik New Zealand Limited  
19 Eastern Hutt Road Wingate,  
Lower Hutt, New Zealand  
Tel: 04-567 5119  
Fax: 04-567 5412

#### Manufacturer

Bostik GmbH  
Industriestrasse 3 – 11  
33829 Borgholzhausen, Germany  
Tel: +49 (0) 5425 / 801 0  
Fax: +49 (0) 5425 / 801 140

**E-mail address** SDS.AP@Bostik.com

### Emergency telephone number

**Emergency Telephone** 24 Hr: 0800 243 622  
International +64 4 917 9888  
Poison Centre : 0800 764 766

## Section 2: Hazard identification

### GHS Classification

|                              |            |
|------------------------------|------------|
| <b>Reproductive toxicity</b> | Category 2 |
|------------------------------|------------|

### Label elements



**Signal word**  
Warning

### **Hazard statements**

H361 - Suspected of damaging fertility or the unborn child

### **General advice**

Read label before use  
Keep out of reach of children

# SAFETY DATA SHEET

BOSTIK SAFE SEAL White  
Revision Number 2

Revision date 05-May-2025  
Supersedes date 22-Nov-2022

If medical advice is needed, have product container or label at hand

## Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves, protective clothing, eye protection and face protection

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

## Precautionary Statements - Storage

Store locked up

## Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

## Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. May be harmful if inhaled. Harmful to aquatic life.

## Section 3: Composition/information on ingredients

| Chemical name                                 | CAS No.    | Weight-% |
|---|------------|----------|
| Carbonic acid, calcium salt (1:1)             | 471-34-1   | 40 - <80 |
| Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate | 52829-07-9 | 0.1- <1  |
| 3-aminopropyltriethoxysilane                  | 919-30-2   | 0.1- <1  |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine  | 1760-24-3  | 0.1- <1  |

|                           |             |         |
|---------------------------|-------------|---------|
| Non-hazardous ingredients | Proprietary | Balance |
|---------------------------|-------------|---------|

## Section 4: First-aid measures

### Description of first aid measures

|                       |   |
|-----------------------|---|
| <b>General advice</b> | Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.  |
| <b>Inhalation</b>     | Remove to fresh air. If symptoms persist, call a physician.   |
| <b>Eye contact</b>    | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  |
| <b>Skin contact</b>   | Wash skin with soap and water.  |
| <b>Ingestion</b>      | Small amounts of toxic methanol are released by hydrolysis. Small amounts of toxic methanol are released by hydrolysis. Call a physician immediately. Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. |

### Most important symptoms and effects, both acute and delayed

|                            |  |
|----------------------------|--|
| <b>Symptoms</b>            | None known.  |
| <b>Effects of Exposure</b> | May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. |

### Indication of any immediate medical attention and special treatment needed

|                           |  |
|---------------------------|--|
| <b>Note to physicians</b> | Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically. |
|---------------------------|--|

# SAFETY DATA SHEET

BOSTIK SAFE SEAL White  
Revision Number 2

Revision date 05-May-2025  
Supersedes date 22-Nov-2022

## Section 5: Fire-fighting measures

### Suitable Extinguishing Media

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Full water jet.

### Specific hazards arising from the chemical

**Specific hazards arising from the chemical** Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous combustion products** Carbon oxides. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

### Special protective actions for fire-fighters

**Special protective equipment and precautions for fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

**For emergency responders** Use personal protection recommended in Section 8.

### Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### Precautions to prevent secondary hazards

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## Section 7: Handling and storage

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

# SAFETY DATA SHEET

BOSTIK SAFE SEAL White  
Revision Number 2

Revision date 05-May-2025  
Supersedes date 22-Nov-2022

## Conditions for safe storage, including any incompatibilities

|  |   |
|--|---|
| <b>Storage Conditions</b>              | Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. Keep away from food, drink and animal feeding stuffs. |
| <b>Recommended storage temperature</b> | Keep at temperatures between 50 and 95 °F / 10 and 35 °C.   |
| <b>Incompatible materials</b>          | None known based on information supplied.   |

## **Section 8: Exposure controls/personal protection**

### Working area parameters, subject to mandatory control (MAC or TSEL)

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

| Chemical name                                 | New Zealand   | ACGIH TLV                            | United Kingdom  | Australia  |
|---|---|--------------------------------------|---|--|
| Carbonic acid, calcium salt (1:1)<br>471-34-1 | TWA: 10 mg/m <sup>3</sup> ;   | -                                    | -   | TWA: 10 mg/m <sup>3</sup> ;<br>inhalable dust  |
| Chemical name                                 | New Zealand   | ACGIH TLV                            | United Kingdom  | Australia  |
| Ethanol<br>64-17-5                            | TWA: 200 ppm;<br>TWA: 380 mg/m <sup>3</sup> ;<br>STEL: 800 ppm;<br>STEL: 1520 mg/m <sup>3</sup> ;       | STEL: 1000 ppm                       | TWA: 1000 ppm;<br>TWA: 1920 mg/m <sup>3</sup> ;<br>STEL: 3000 ppm;<br>STEL: 5760 mg/m <sup>3</sup> ;    | TWA: 1000 ppm;<br>TWA: 1880 mg/m <sup>3</sup> ;  |
| Methyl alcohol<br>67-56-1                     | TWA: 200 ppm;<br>TWA: 262 mg/m <sup>3</sup> ;<br>STEL: 250 ppm;<br>STEL: 328 mg/m <sup>3</sup> ;<br>dSk | TWA: 200 ppm<br>STEL: 250 ppm<br>pSk | TWA: 200 ppm;<br>TWA: 266 mg/m <sup>3</sup> ;<br>STEL: 250 ppm;<br>STEL: 333 mg/m <sup>3</sup> ;<br>pSk | TWA: 200 ppm;<br>TWA: 262 mg/m <sup>3</sup> ;<br>STEL: 250 ppm;<br>STEL: 328 mg/m <sup>3</sup> ; |

**Biological occupational exposure limits** This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

|  |  |
|--|--|
| <b>Eye/face protection</b>             | No special protective equipment required.  |
| <b>Hand protection</b>                 | Wear suitable gloves.  |
| <b>Skin and body protection</b>        | Wear suitable protective clothing.   |
| <b>Respiratory protection</b>          | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| <b>Environmental exposure controls</b> | No information available.  |

# SAFETY DATA SHEET

BOSTIK SAFE SEAL White  
Revision Number 2

Revision date 05-May-2025  
Supersedes date 22-Nov-2022

## Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

|                |                          |
|----------------|--------------------------|
| Physical state | Solid                    |
| Appearance     | Paste                    |
| Color          | White                    |
| Odor           | Slight. Characteristic.  |
| Odor threshold | No information available |

### Property

pH

### Values

No data available

### Remarks • Method

Not applicable Reacts with water

**Melting point / freezing point** No data available

**Initial boiling point and boiling range** No data available

**Flash point** > 61 °C

**Evaporation rate** No data available

**Flammability** No data available

**Flammability Limit in Air**

**Upper flammability or explosive limits** No data available

**Lower flammability or explosive limits** No data available

**Vapor pressure** < 1100

**Relative vapor density** No data available

**Relative density** 1.45 - 1.55

**Water solubility** Reacts with water

**Solubility(ies)** No data available

**Partition coefficient** No data available

**Autoignition temperature** No data available

**Decomposition temperature**

**Kinematic viscosity** No data available

**Dynamic viscosity** 7000 - 13000 Pa.s

Data technically impossible to obtain

Data technically impossible to obtain

CC (closed cup)

None known

None known

hPa @ 50 °C

Reacts with water

None known

Spindle 4 @ 1 rpm @ 23 °C

**Explosive properties**

No information available.

**Oxidizing properties**

No information available.

### Other information

**Softening point**

No information available

**Molecular weight**

No information available

**VOC content**

No information available

**Liquid Density**

ca. 1.5 g/cm<sup>3</sup>

**Bulk density**

No information available

**Particle characteristics**

## Section 10: Stability and reactivity

### Reactivity

**Reactivity**

Product cures with moisture.

### Chemical stability

**Stability**

Stable under normal conditions.

# SAFETY DATA SHEET

BOSTIK SAFE SEAL White  
Revision Number 2

Revision date 05-May-2025  
Supersedes date 22-Nov-2022

## Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

## Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

## Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

## Incompatible materials

Incompatible materials None known based on information supplied.

## Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Section 11: Toxicological information

### Acute toxicity

### Information on likely routes of exposure

#### Product Information

Inhalation May be harmful if inhaled.

Eye contact Based on available data, the classification criteria are not met.

Skin contact May cause sensitization in susceptible persons. Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms No information available.

### Acute toxicity

### Numerical measures of toxicity

#### The following ATE values have been calculated for the mixture

ATEmix (oral) 110,572.60 mg/kg  
ATEmix (dermal) >5000 mg/kg  
ATEmix (inhalation-gas) >20000 ppm  
ATEmix (inhalation-vapor) >20 mg/l  
ATEmix (inhalation-dust/mist) 278.90 mg/l

### Component Information

| Chemical name                     | Oral LD50                              | Dermal LD50                           | Inhalation LC50            |
|-----------------------------------|--|---------------------------------------|----------------------------|
| Carbonic acid, calcium salt (1:1) | LD50 > 2000 mg/kg (Rattus)<br>OECD 420 | LD50 >2000 mg/kg (Rattus)<br>OECD 402 | LC50 (4h) >3mg/ml (Rattus) |

# SAFETY DATA SHEET

**BOSTIK SAFE SEAL White**  
Revision Number 2

**Revision date** 05-May-2025  
**Supersedes date** 22-Nov-2022

|   |  |  |                                     |
|---|--|--|-------------------------------------|
| Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate | LD50 (Rattus) > 2000 mg/kg<br>OECD 423   | LD50 (Rattus) > 3 170 mg/kg<br>OECD 402                      | =500 mg/m <sup>3</sup> (Rattus) 4 h |
| 3-aminopropyltriethoxysilane                  | LD50 = 1490 mg/kg (Rattus, female) EPA OTS 798.1175<br>LD50 = 2690 mg/kg (Rattus, male) EPA OTS 798.1175 | LD50 = 4076 mg/kg (Oryctolagus cuniculus) EPA OTS 798.1100   | LC50 >144 mg/L (6h) Rattus (Vapour) |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine  | LD50 = 2295 mg/kg (Rattus) EPA OPPTS 870.1100  | LD50 > 2000 mg/kg (Oryctolagus cuniculus) EPA OPPTS 870.1200 | 1.49 mg/L ( Rat ) 4 h               |

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

| Method   | Species | Exposure route | Effective dose | Exposure time | Results      |
|--|---------|----------------|----------------|---------------|--------------|
| OECD Test No. 404: Acute Dermal Irritation/Corrosion | Rabbit  | Dermal         |                |               | Non-irritant |

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

Component Information

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

| Method  | Species | Exposure route | Effective dose | Exposure time | Results    |
|---|---------|----------------|----------------|---------------|------------|
| OECD Test No. 405: Acute Eye Irritation/Corrosion | Rabbit  | eye            |                |               | Eye Damage |

**Respiratory or skin sensitization** OECD Test No. 406: Skin Sensitization. No sensitization responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitization in susceptible persons.

| Method                                | Species    | Exposure route | Results                                  |
|---------------------------------------|------------|----------------|--|
| OECD Test No. 406: Skin Sensitization | Guinea pig | Dermal         | No sensitization responses were observed |

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

**Reproductive toxicity** Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

| Method   | Species     | Results               |
|--|-------------|-----------------------|
| OECD Test No. 414: Prenatal Development Toxicity Study | Rat, Rabbit | Reproductive toxicant |

**STOT - single exposure** Based on available data, the classification criteria are not met.

**Narcotic effects** No information available.

# SAFETY DATA SHEET

BOSTIK SAFE SEAL White  
Revision Number 2

Revision date 05-May-2025  
Supersedes date 22-Nov-2022

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

## Section 12: Ecological information

### Ecotoxicity

**Ecotoxicity** Harmful to aquatic life.

### **Aquatic ecotoxicity**

| Chemical name                                 | Algae/aquatic plants  | Fish   | Crustacea  |
|---|---|--|--|
| Carbonic acid, calcium salt (1:1)             | IC50 72H Algae >1000 mg/l   | CL50 96H >1000 mg/l                                    | EC50 48H Daphnia >1000 mg/l                      |
| Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate | EC50 72Hr 0.705 mg/l (Pseudokirchnerella subcapitata)                     | LC50 (96h) = 5.29 mg/l (Oryzias latipes)               | LC50 48Hr 8.58 mg/l (Daphnia magna)              |
| 3-aminopropyltriethoxysilane                  | EC50 (72h) >1000 mg/L Green algae (desmodesmus subspicatus) (OECD TG 201) | LC50 (96h) >934 mg/L (Brachydanio rerio) (OECD TG 203) | EC50 (48h) =331 mg/L Daphnia magna (OECD TG 202) |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine  | -   | LC50 (96H) =597 mg/L (Danio rerio)Semi-static          | EC50 (48h) =81mg/L Daphnia magna Static          |

**Terrestrial ecotoxicity** There is no data for this product.

**Persistence and degradability** No information available.

### Bioaccumulative potential

#### **Bioaccumulation**

#### **Component Information**

| Chemical name                                 | Partition coefficient |
|---|-----------------------|
| Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate | 0.35                  |
| 3-aminopropyltriethoxysilane                  | 1.7                   |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine  | -0.3                  |

### Mobility in soil

**Mobility** No information available.

### Other adverse effects

No information available.

### Disposal methods

#### **Waste from residues/unused products**

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Substances which are hazardous to human health or corrosive to metals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is

# SAFETY DATA SHEET

BOSTIK SAFE SEAL White  
Revision Number 2

Revision date 05-May-2025  
Supersedes date 22-Nov-2022

no tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

## Section 14: Transport information

**IATA** Not regulated

**IMDG** Not regulated

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
No information available

**ADR** Not regulated

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

**EPA New Zealand HSNO approval code or group standard** HSR002670 - Surface Coatings and Colourants (Subsidiary Hazard)

**National regulations** There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

**Certified handlers, tracking and controlled substance license requirements** Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information  
Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information  
Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

#### Europe

### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# SAFETY DATA SHEET

BOSTIK SAFE SEAL White  
Revision Number 2

Revision date 05-May-2025  
Supersedes date 22-Nov-2022

## Section 16: Other information

Prepared By Product Stewardship and Regulatory Affairs  
Revision date 05-May-2025

### Revision Note

SDS sections updated:

**Key or legend to abbreviations and acronyms used in the safety data sheet**

### Legend

SVHC: Substances of Very High Concern for Authorization:  
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
STOT: Specific Target Organ Toxicity  
ATE: Acute Toxicity Estimate  
LC50: 50% Lethal Concentration  
LD50: 50% Lethal Dose

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

|         |                             |      |                                  |
|---------|-----------------------------|------|----------------------------------|
| TWA     | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value         | Sk*  | Skin designation                 |
| **      | Hazard Designation          | +    | Sensitizers                      |
| C       | Carcinogen                  |      |                                  |

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**