

# **Coil Cleaner Liquid**

# **CRC Industries (CRC Industries New Zealand)**

Chemwatch: 5439-88 Version No: 3.1

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Chemwatch Hazard Alert Code:

Initial Date: 14/01/2021 Revision Date: 27/07/2025 Print Date: 09/10/2025 S.GHS.NZL.EN

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

## **Product Identifier**

Product name	Coil Cleaner Liquid
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Cleaning and degreasing solution.
residuant idontiniod dood	Clouring and dogrouping columning

## Details of the manufacturer or importer of the safety data sheet

Registered company name	CRC Industries (CRC Industries New Zealand)
Address	10 Highbrook Drive East Tamaki Auckland New Zealand
Telephone	+64 9 272 2700
Fax	+64 9 274 9696
Website	www.crc.co.nz
Email	- No EMAL ID NEEDED for NZ - JACK

## **Emergency telephone number**

Association / Organisation	CRC Industries (CRC Industries New Zealand)	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone number(s)	NZ Poisons Centre 0800 POISON (0800 764 766)	+64 800 700 112 (ID#: 5439-88)
Other emergency telephone number(s)	111 (NZ Emergency Services)	+61 3 9573 3188

## **SECTION 2 Hazards identification**

## Classification of the substance or mixture

Classification <sup>[1]</sup>	Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 3
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI
Determined by Chemwatch using GHS/HSNO criteria	6.3A, 8.3A, 9.1C

#### Label elements

Hazard pictogram(s)



Signal word	Danger

# Hazard statement(s)

H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

# Precautionary statement(s) Prevention

P280	Wear protective gloves, protective clothing, eye protection and face protection.
P273	Avoid release to the environment.
P264	Wash all exposed external body areas thoroughly after handling.

## Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/physician/first aider.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	

# Precautionary statement(s) Storage

Not Applicable

## Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

No further product hazard information.

# **SECTION 3 Composition / information on ingredients**

## **Substances**

See section below for composition of Mixtures

# Mixtures

CAS No	%[weight]	Name
1356964-77-6	5-10	N,N-dimethyl-9-decenamide
Not Available	5-10	non-hazardous surfactant blend
7732-18-5	>60	<u>water</u>
Legend: 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available		

# **SECTION 4 First aid measures**

# Description of first aid measures

•	
Eye Contact	If this product comes in contact with the eyes:  Immediately hold eyelids apart and flush the eye continuously with running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.  Transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

## Indication of any immediate medical attention and special treatment needed

Any material aspirated during vomiting may produce lung injury. Therefore emesis should not be induced mechanically or pharmacologically. Mechanical means should be used if it is considered necessary to evacuate the stomach contents; these include gastric lavage after endotracheal intubation. If spontaneous vomiting has occurred after ingestion, the patient should be monitored for difficult breathing, as adverse effects of aspiration into the lungs may be delayed up to 48 hours. Treat symptomatically.

## **SECTION 5 Firefighting measures**

#### **Extinguishing media**

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

## Special hazards arising from the substrate or mixture

Fire Incompatibility

None known.

#### Advice for firefighters

Advice for firefighters		
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> </ul>	
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul>	

## **SECTION 6 Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

See section 8

## **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul>
Major Spills	Moderate hazard.  ► Clear area of personnel and move upwind.  ► Alert Fire Brigade and tell them location and nature of hazard.  ► Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

## Precautions for safe handling

Safe handling	<ul> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Prevent concentration in hollows and sumps.</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>Store in a cool, dry, well-ventilated area.</li> <li>Store away from incompatible materials and foodstuff containers.</li> </ul>

## Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	Avoid contamination of water, foodstuffs, feed or seed.

#### Control parameters

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Not Available

Ingredient	Original IDLH	Revised IDLH
N,N-dimethyl-9-decenamide	Not Available	Not Available
water	Not Available	Not Available

#### **Exposure controls**

# Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Individual protection measures, such as personal protective equipment













## Eye and face protection

- Safety glasses with side shields.
- ► Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

#### Skin protection

#### See Hand protection below

# Hands/feet protection

- ▶ Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care.

#### Body protection

See Other protection below

## Other protection

- Overalls.
- P.V.C apron.
- Barrier cream.
- Skin cleansing cream.

#### Recommended material(s)

#### **GLOVE SELECTION INDEX**

Glove selection is based on a modified presentation of the:

#### "Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Coil Cleaner Liquid

Material	СРІ
BUTYL	A
NEOPRENE	A
VITON	A
NATURAL RUBBER	С
PVA	С

- \* CPI Chemwatch Performance Index
- A: Best Selection
- B: Satisfactory; may degrade after 4 hours continuous immersion
- C: Poor to Dangerous Choice for other than short term immersion

**NOTE**: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice

#### Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant.

Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	AK-AUS / Class1 P2	-
up to 50	1000	-	AK-AUS / Class 1 P2
up to 50	5000	Airline *	-
up to 100	5000	-	AK-2 P2
up to 100	10000	-	AK-3 P2
100+			Airline**

\* - Continuous Flow \*\* - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur

 $\label{eq:dioxide} \mbox{dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury,} \\ NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)$ 

76ak-p()

# **SECTION 9 Physical and chemical properties**

information on pasic physical and chemical propert	on on basic physical and chemical pro	pperties
--	---------------------------------------	----------

Appearance	Colourless semi-opaque liquid with very low characteristic odour; mixes with water.			
Physical state	Liquid	Relative density (Water = 1)	1	
Odour	Not Available	Partition coefficient n- octanol / water	Not Available	
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable	
pH (as supplied)	7.7	Decomposition temperature (°C)	Not Available	
Melting point / freezing point (°C)	0 (freezing pt.)	Viscosity (cSt)	Not Available	
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Applicable	
Flash point (°C)	Not Applicable	Taste	Not Available	
Evaporation rate	Not Available	Explosive properties	Not Available	
Flammability	Not Applicable	Oxidising properties	Not Available	
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available	
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available	
Vapour pressure (kPa)	Not Available	Gas group	Not Available	
Solubility in water	Miscible	pH as a solution (1%)	Not Available	
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available	
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available	
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available	
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available	

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

## Information on toxicological effects

a) Acute Toxicity	Based on available data, the classification criteria are not met.
b) Skin Irritation/Corrosion	There is sufficient evidence to classify this material as skin corrosive or irritating.
c) Serious Eye Damage/Irritation	There is sufficient evidence to classify this material as eye damaging or irritating
d) Respiratory or Skin sensitisation	Based on available data, the classification criteria are not met.
e) Mutagenicity	Based on available data, the classification criteria are not met.
f) Carcinogenicity	Based on available data, the classification criteria are not met.

g) Reproductivity				
<b>o</b> , . ,	Based on available data, the classification criteria are not met.			
i) STOT - Single Exposure	Based on available data, the classification criteria are not met.			
Exposure	Based on available data, the classification criteria are not met.			
j) Aspiration Hazard	Based on available data, the classification criteria	are not met.		
Inhaled	The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.  Not normally a hazard due to non-volatile nature of product			
Ingestion	Accidental ingestion of the material may be damaged Swallowing of the liquid may cause aspiration into result. (ICSC13733)	•		
Skin Contact	This material can cause inflammation of the skin on contact in some persons.  The material may accentuate any pre-existing dermatitis condition  Open cuts, abraded or irritated skin should not be exposed to this material  Animal testing showed that a 30% fatty acid amide was a moderate skin irritant. In products intended for prolonged contact with the skin, the concentration of cocoamide DEA should not exceed 5%.  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.  Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.			
Eye	If applied to the eyes, this material causes severe	eye damage.		
Chronic	Substance accumulation, in the human body, may occupational exposure.	occur and may cause some con	cern following repeated or long-term	
	TOVICITY	IDDITATION		
Coil Cleaner Liquid	Not Available	IRRITATION  Not Available		
	TOXICITY	IRRITATION		
N.N. Paradad O	Dermal (rabbit) LD50: >2000 mg/kg <sup>[2]</sup>	Eye: adverse ef	fect observed (irritating) <sup>[1]</sup>	
N,N-dimethyl-9- decenamide	Inhalation (Rat) LC50: >3.551 mg/L4h <sup>[1]</sup>		erse effect observed (irritating) <sup>[1]</sup>	
	Oral (Rat) LD50: 550 mg/kg <sup>[2]</sup>		,g,	
	TOXICITY	IRRITATION		
water	Oral (Rat) LD50: >90000 mg/kg <sup>[2]</sup>	Not Available		
	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS.     Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances			
Legend:		•		
Legend:		•		
Legend:  N,N-DIMETHYL-9- DECENAMIDE		r even years after exposure to the nction syndrome (RADS) which osing RADS include the absence-like symptoms within minutes to e a reversible airflow pattern on ge testing, and the lack of minimals, cocoamide DEA, causes occupon.  To diethanolamine and the mether oxicity is well established across	e material ends. This may be due to a non- can occur after exposure to high levels of of previous airways disease in a non-atopic hours of a documented exposure to the tung function tests, moderate to severe al lymphocytic inflammation, without ational allergic contact dermatitis, and that yl ester of long chain fatty acids. terms of physical and chemical properties, all subcategories by the available data and	
N,N-DIMETHYL-9-	Asthma-like symptoms may continue for months of allergic condition known as reactive airways dysfur highly irritating compound. Main criteria for diagnosindividual, with sudden onset of persistent asthma irritant. Other criteria for diagnosis of RADS include bronchial hyperreactivity on methacholine challenge eosinophilia.  Laboratory testing shows that the fatty acid amide allergy to this substance is becoming more common. Alkanolamides are manufactured by condensation. The chemicals in the Fatty Nitrogen Derived (FND environmental fate and toxicity. Its low acute oral to	r even years after exposure to the nction syndrome (RADS) which a sing RADS include the absence like symptoms within minutes to e a reversible airflow pattern on ge testing, and the lack of minimals, cocoamide DEA, causes occupion.  To diethanolamine and the meth Amides are generally similar in oxicity is well established across, reproductive or developmental	e material ends. This may be due to a non- can occur after exposure to high levels of of previous airways disease in a non-atopic hours of a documented exposure to the tung function tests, moderate to severe al lymphocytic inflammation, without ational allergic contact dermatitis, and that yl ester of long chain fatty acids. terms of physical and chemical properties, all subcategories by the available data and	
N,N-DIMETHYL-9- DECENAMIDE	Asthma-like symptoms may continue for months of allergic condition known as reactive airways dysfurbighly irritating compound. Main criteria for diagnos individual, with sudden onset of persistent asthma irritant. Other criteria for diagnosis of RADS include bronchial hyperreactivity on methacholine challenge eosinophilia.  Laboratory testing shows that the fatty acid amide allergy to this substance is becoming more common. Alkanolamides are manufactured by condensation. The chemicals in the Fatty Nitrogen Derived (FND environmental fate and toxicity. Its low acute oral to show no apparent organ specific toxicity, mutation.	r even years after exposure to the nction syndrome (RADS) which a sing RADS include the absence like symptoms within minutes to e a reversible airflow pattern on ge testing, and the lack of minimals, cocoamide DEA, causes occupion.  To diethanolamine and the meth Amides are generally similar in oxicity is well established across, reproductive or developmental	e material ends. This may be due to a non- can occur after exposure to high levels of of previous airways disease in a non-atopic hours of a documented exposure to the tung function tests, moderate to severe al lymphocytic inflammation, without ational allergic contact dermatitis, and that yl ester of long chain fatty acids. terms of physical and chemical properties, all subcategories by the available data and	
N,N-DIMETHYL-9- DECENAMIDE WATER	Asthma-like symptoms may continue for months of allergic condition known as reactive airways dysfur highly irritating compound. Main criteria for diagnoral individual, with sudden onset of persistent asthma irritant. Other criteria for diagnosis of RADS included bronchial hyperreactivity on methacholine challeng eosinophilia.  Laboratory testing shows that the fatty acid amide allergy to this substance is becoming more common Alkanolamides are manufactured by condensation The chemicals in the Fatty Nitrogen Derived (FND environmental fate and toxicity. Its low acute oral to show no apparent organ specific toxicity, mutation No significant acute toxicological data identified in	r even years after exposure to the nction syndrome (RADS) which of sing RADS include the absence like symptoms within minutes to e a reversible airflow pattern on ge testing, and the lack of minimals, cocoamide DEA, causes occupion.  of diethanolamine and the mether of diethanolamine and the mether oxicity is well established across, reproductive or developmental literature search.	e material ends. This may be due to a non- can occur after exposure to high levels of of previous airways disease in a non-atopic hours of a documented exposure to the lung function tests, moderate to severe al lymphocytic inflammation, without ational allergic contact dermatitis, and that yl ester of long chain fatty acids. terms of physical and chemical properties, all subcategories by the available data and defects.	
N,N-DIMETHYL-9-DECENAMIDE  WATER  Acute Toxicity	Asthma-like symptoms may continue for months of allergic condition known as reactive airways dysfur highly irritating compound. Main criteria for diagnosindividual, with sudden onset of persistent asthma irritant. Other criteria for diagnosis of RADS include bronchial hyperreactivity on methacholine challenge eosinophilia.  Laboratory testing shows that the fatty acid amide allergy to this substance is becoming more common. Alkanolamides are manufactured by condensation. The chemicals in the Fatty Nitrogen Derived (FND environmental fate and toxicity. Its low acute oral to show no apparent organ specific toxicity, mutation. No significant acute toxicological data identified in	r even years after exposure to the nction syndrome (RADS) which osing RADS include the absence-like symptoms within minutes to e a reversible airflow pattern on ge testing, and the lack of minimals, cocoamide DEA, causes occupon.  of diethanolamine and the methel Amilian are generally similar in oxicity is well established across, reproductive or developmental dietrature search.	e material ends. This may be due to a non- can occur after exposure to high levels of of previous airways disease in a non-atopic hours of a documented exposure to the fung function tests, moderate to severe allymphocytic inflammation, without ational allergic contact dermatitis, and that by ester of long chain fatty acids. terms of physical and chemical properties, all subcategories by the available data and defects.	
N,N-DIMETHYL-9-DECENAMIDE  WATER  Acute Toxicity  Skin Irritation/Corrosion  Serious Eye	Asthma-like symptoms may continue for months of allergic condition known as reactive airways dysfur highly irritating compound. Main criteria for diagnosindividual, with sudden onset of persistent asthma irritant. Other criteria for diagnosis of RADS included bronchial hyperreactivity on methacholine challenge eosinophilia.  Laboratory testing shows that the fatty acid amide allergy to this substance is becoming more common. Alkanolamides are manufactured by condensation. The chemicals in the Fatty Nitrogen Derived (FND environmental fate and toxicity. Its low acute oral to show no apparent organ specific toxicity, mutation. No significant acute toxicological data identified in	r even years after exposure to the notion syndrome (RADS) which osing RADS include the absence-like symptoms within minutes to e a reversible airflow pattern on ge testing, and the lack of minimals, cocoamide DEA, causes occupon, of diethanolamine and the methol Amides are generally similar in oxicity is well established across, reproductive or developmental eliterature search.  Carcinogenicity  Reproductivity	e material ends. This may be due to a non- can occur after exposure to high levels of of previous airways disease in a non-atopic hours of a documented exposure to the fung function tests, moderate to severe allymphocytic inflammation, without ational allergic contact dermatitis, and that by ester of long chain fatty acids. terms of physical and chemical properties, all subcategories by the available data and defects.	

#### **Toxicity**

	Endpoint	Test Duration (hr)	Species	Value	Source
Coil Cleaner Liquid	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	5.6mg/l	Not Available
N,N-dimethyl-9-	EC50	48h	Crustacea	2.8mg/l	Not Available
decenamide	EC50(ECx)	48h	Crustacea	2.8mg/l	Not Available
	EC50	96h	Algae or other aquatic plants	6.3mg/l	2
	LC50	96h	Fish	5.6mg/l	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
water	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	4. US EPA, Ed	n 1. IUCLID Toxicity Data 2. Europe ECHA R cotox database - Aquatic Toxicity Data 5. ECi on Data 7. METI (Japan) - Bioconcentration	ETOC Aquatic Hazard Assessment Data 6	•	•

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

DO NOT discharge into sewer or waterways.

## Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

## **Bioaccumulative potential**

Ingredient	Bioaccumulation
water	LOW (LogKOW = -1.38)

# Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

## **SECTION 13 Disposal considerations**

#### Waste treatment methods

**Product / Packaging** 

disposal

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- ▶ Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- ▶ Decontaminate empty containers.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

#### **Disposal Requirements**

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.

## **SECTION 14 Transport information**

## **Labels Required**

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7. Maritime transport in bulk according to IMO instruments

# 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
N,N-dimethyl-9-decenamide	Not Available
water	Not Available

## 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
N,N-dimethyl-9-decenamide	Not Available
water	Not Available

# **SECTION 15 Regulatory information**

## Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

This substance is to be managed using the conditions specified in an applicable Group Standard			
HSR Number	Group Standard		
HSR002521	Animal Nutritional and Animal Care Products Group Standard 2020		
HSR002530	Cleaning Products Subsidiary Hazard Group Standard 2020		
HSR002535	Gases under Pressure Mixtures Subsidiary Hazard Group Standard 2020		
HSR002503	Additives Process Chemicals and Raw Materials Subsidiary Hazard Group Standard 2020		
HSR002606	Lubricants Lubricant Additives Coolants and Anti freeze Agents Subsidiary Hazard Group Standard 2020		
HSR002612	Metal Industry Products Subsidiary Hazard Group Standard 2020		
HSR002624	N.O.S. Subsidiary Hazard Group Standard 2020		
HSR002638	Photographic Chemicals Subsidiary Hazard Group Standard 2020		
HSR002644	Polymers Subsidiary Hazard Group Standard 2020		
HSR002647	Reagent Kits Group Standard 2020		
HSR002648	Refining Catalysts Group Standard 2020		
HSR002653	Solvents Subsidiary Hazard Group Standard 2020		
HSR002670	Surface Coatings and Colourants Subsidiary Hazard Group Standard 2020		
HSR002684	Water Treatment Chemicals Subsidiary Hazard Group Standard 2020		
HSR100425	Pharmaceutical Active Ingredients Group Standard 2020		
HSR002600	Leather and Textile Products Subsidiary Hazard Group Standard 2020		
HSR002544	Construction Products Subsidiary Hazard Group Standard 2020		
HSR002549	Corrosion Inhibitors Subsidiary Hazard Group Standard 2020		
HSR002552	Cosmetic Products Group Standard 2020		
HSR002558	Dental Products Subsidiary Hazard Group Standard 2020		
HSR002565	Embalming Products Subsidiary Hazard Group Standard 2020		
HSR002571	Fertilisers Subsidiary Hazard Group Standard 2020		
HSR002573	Fire Fighting Chemicals Group Standard 2021		
HSR002578	Food Additives and Fragrance Materials Subsidiary Hazard Group Standard 2020		

HSR Number	Group Standard
HSR002585	Fuel Additives Subsidiary Hazard Group Standard 2020
HSR002596	Laboratory Chemicals and Reagent Kits Group Standard 2020
HSR100580	Tattoo and Permanent Makeup Substances Group Standard 2020
HSR100757	Veterinary Medicines Limited Pack Size Finished Dose Group Standard 2020
HSR100758	Veterinary Medicines Non dispersive Closed System Application Group Standard 2020
HSR100759	Veterinary Medicines Non dispersive Open System Application Group Standard 2020
HSR100592	Agricultural Compounds Special Circumstances Group Standard 2020
HSR100756	Active Ingredients for Use in the Manufacture of Agricultural Compounds Group Standard 2020

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

## N,N-dimethyl-9-decenamide is found on the following regulatory lists

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Land Transport Rule: Dangerous Goods 2005 - Schedule 1 Quantity limits for dangerous goods

## water is found on the following regulatory lists

New Zealand Inventory of Chemicals (NZIoC)

## **Additional Regulatory Information**

Not Applicable

## **Hazardous Substance Location**

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

## **Certified Handler**

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

# Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

# **Tracking Requirements**

Not Applicable

# **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (N,N-dimethyl-9-decenamide; water)
China - IECSC	No (N,N-dimethyl-9-decenamide)
Europe - EINEC / ELINCS / NLP	No (N,N-dimethyl-9-decenamide)
Japan - ENCS	No (N,N-dimethyl-9-decenamide)
Korea - KECI	No (N,N-dimethyl-9-decenamide)
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	All chemical substances in this product have been designated as TSCA Inventory 'Active'
Taiwan - TCSI	Yes
Mexico - INSQ	No (N,N-dimethyl-9-decenamide)

National Inventory	Status	
Vietnam - NCI	Yes	
Russia - FBEPH	No (N,N-dimethyl-9-decenamide)	
UAE - Control List (Banned/Restricted Substances)	No (N,N-dimethyl-9-decenamide; water)	
Legend:	Yes = All CAS declared ingredients are on the inventory  No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will requiregistration.	

#### **SECTION 16 Other information**

Revision Date	27/07/2025
Initial Date	14/01/2021

#### **SDS Version Summary**

Version	Date of Update	Sections Updated
2.1	14/01/2021	Physical and chemical properties - Appearance
3.1	27/07/2025	Expiration. Review and Update

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ► TLV: Threshold Limit Value
- ▶ LOD: Limit Of Detection
- ▶ OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- MARPOL: International Convention for the Prevention of Pollution from Ships
- ▶ IMSBC: International Maritime Solid Bulk Cargoes Code
- IGC: International Gas Carrier Code
- ▶ IBC: International Bulk Chemical Code
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.

Disclaimer: This SDS was prepared by a third party for product identification purposes only and is not endorsed by or affiliated with the original brand owner.