

CRC Mag Monster

CRC Industries (CRC Industries New Zealand)

Chemwatch: **5321-20** Version No: **4.1**

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Chemwatch Hazard Alert Code:

Initial Date: 24/08/2018 Revision Date: 10/07/2024 Print Date: 17/10/2025 S.GHS.NZL.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	CRC Mag Monster
Chemical Name	Not Applicable
Synonyms	9308
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Wheel cleaning preparation.
rtolovant labitanca acco	TTTTOOLOGGITTING PLOPALATION.

Details of the manufacturer or importer of the safety data sheet

Registered company name	CRC Industries (CRC Industries New Zealand)
Address	10 Highbrook Drive East Tamaki Auckland New Zealand
Telephone	+64 9 272 2700
Fax	+64 9 274 9696
Website	www.crc.co.nz
Email	- No EMAL ID NEEDED for NZ - JACK

Emergency telephone number

Association / Organisation	CRC Industries (CRC Industries New Zealand)	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone number(s)	NZ Poisons Centre 0800 POISON (0800 764 766)	+64 800 700 112 (ID#: 5321-20)
Other emergency telephone number(s)	111 (NZ Emergency Services)	+61 3 9573 3188

SECTION 2 Hazards identification

Classification of the substance or mixture

Classification ^[1]	Sensitisation (Skin) Category 1, Serious Eye Damage/Eye Irritation Category 1	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	
Determined by Chemwatch using GHS/HSNO criteria	8.3A, 6.5B (contact)	

Label elements

Hazard pictogram(s)





Signal word	d Danger	
Signal word	a Dailyei	

Hazard statement(s)

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Precautionary statement(s) Prevention

P280	Wear protective gloves, protective clothing, eye protection and face protection.	
P261	Avoid breathing mist/vapours/spray.	
P272	Contaminated work clothing should not be allowed out of the workplace.	

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/physician/first aider.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
------	--

No further product hazard information.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
367-51-1	10-20	sodium thioglycolate
68439-46-3	1-5	alcohols C9-11 ethoxylated
7732-18-5	>60	<u>water</u>
Legend: 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available		

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.	
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.	
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 	
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. 	

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

As in all cases of suspected poisoning, follow the ABCDEs of emergency medicine (airway, breathing, circulation, disability, exposure), then the ABCDEs of toxicology (antidotes, basics, change absorption, change distribution, change elimination).

For poisons (where specific treatment regime is absent):

BASIC TREATMENT

- Establish a patent airway with suction where necessary.
- Watch for signs of respiratory insufficiency and assist ventilation as necessary.
- Administer oxygen by non-rebreather mask at 10 to 15 L/min.
- Monitor and treat, where necessary, for pulmonary oedema.
- Monitor and treat, where necessary, for shock.
- Anticipate seizures.
- DO NOT use emetics. Where ingestion is suspected rinse mouth and give up to 200 ml water (5 ml/kg recommended) for dilution where patient is able to swallow, has a strong gag reflex and does not drool.

ADVANCED TREATMENT

- Consider orotracheal or nasotracheal intubation for airway control in unconscious patient or where respiratory arrest has occurred.
- Positive-pressure ventilation using a bag-valve mask might be of use.
- Monitor and treat, where necessary, for arrhythmias.
- ▶ Start an IV D5W TKO. If signs of hypovolaemia are present use lactated Ringers solution. Fluid overload might create complications.
- Drug therapy should be considered for pulmonary oedema.
- Hypotension with signs of hypovolaemia requires the cautious administration of fluids. Fluid overload might create complications.
- Treat seizures with diazepam.
- ▶ Proparacaine hydrochloride should be used to assist eye irrigation.

BRONSTEIN, A.C. and CURRANCE, P.L.

EMERGENCY CARE FOR HAZARDOUS MATERIALS EXPOSURE: 2nd Ed. 1994

SECTION 5 Firefighting measures

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.

In such an event consider:

foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility

None known.

Advice for firefighters

Fire	Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves in the event of a fire.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.

- The material is not readily combustible under normal conditions.
- ▶ However, it will break down under fire conditions and the organic component may burn.
- Not considered to be a significant fire risk.
- ▶ Heat may cause expansion or decomposition with violent rupture of containers.

Fire/Explosion Hazard

Decomposes on heating and produces toxic fumes of:

carbon dioxide (CO2) nitrogen oxides (NOx)

sulfur oxides (SOx)

other pyrolysis products typical of burning organic material.

May emit poisonous fumes.

May emit corrosive fumes.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. 	
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.	

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling	 DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. 		
Storage incompatibility	Avoid contamination of water, foodstuffs, feed or seed.	

SECTION 8 Exposure controls / personal protection

NOTE:

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Ingredient	Original IDLH	Revised IDLH
sodium thioglycolate	Not Available	Not Available
alcohols C9-11 ethoxylated	Not Available	Not Available
water	Not Available	Not Available

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber

	 The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

CRC Mag Monster

Material	СРІ
BUTYL	Α
NEOPRENE	Α
VITON	Α
NATURAL RUBBER	С
PVA	С

- * CPI Chemwatch Performance Index
- A: Best Selection
- B: Satisfactory; may degrade after 4 hours continuous immersion
- C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Ansell Glove Selection

Glove — In order of recommendation
AlphaTec® Solvex® 37-185
AlphaTec® 58-008
AlphaTec® 58-530B
AlphaTec® 58-530W
AlphaTec® 58-735
AlphaTec® 79-700
AlphaTec® Solvex® 37-675
DermaShield™ 73-711
MICROFLEX® 63-864
MICROFLEX® 73-847

The suggested gloves for use should be confirmed with the glove supplier.

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class1 P2	-
up to 50	1000	-	A-AUS / Class 1 P2
up to 50	5000	Airline *	-
up to 100	5000	-	A-2 P2
up to 100	10000	-	A-3 P2
100+			Airline**

- * Continuous Flow ** Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)
- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Colourless liquid with fragrance; mixes with water.		
Physical state	Relative density (Water = 1)		
Odour	Not Available	Partition coefficient n- octanol / water	Not Available

Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	7-8	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	0	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	<1	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

a) Acute Toxicity	Based on available data, the classification criteria are not met.		
b) Skin Irritation/Corrosion	Based on available data, the classification criteria are not met.		
c) Serious Eye Damage/Irritation	There is sufficient evidence to classify this material as eye damaging or irritating		
d) Respiratory or Skin sensitisation	There is sufficient evidence to classify this material as sensitising to skin or the respiratory system		
e) Mutagenicity	Based on available data, the classification criteria are not met.		
f) Carcinogenicity	Based on available data, the classification criteria are not met.		
g) Reproductivity	Based on available data, the classification criteria are not met.		
h) STOT - Single Exposure	Based on available data, the classification criteria are not met.		
i) STOT - Repeated Exposure	Based on available data, the classification criteria are not met.		
j) Aspiration Hazard	Based on available data, the classification criteria are not met.		
Inhaled	The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Prolonged exposure may cause headache, nausea and ultimately loss of consciousness.		
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.		
Skin Contact	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material		

	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.			
Eye	If applied to the eyes, this material causes severe eye damage.			
Chronic	Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. Chronic occupational exposure to thioglycolate salts has produced allergic reactions such as collection of fluid under the skin, burning of the skin, reddening and haemorrhage under skin surface, eczema like dermatitis of the scalp or hands and bleeding under the skin.			
	TOXICITY	IRRITATION		
CRC Mag Monster	Not Available Not Available			
	TOXICITY	IRRITATION		
	dermal (rat) LD50: >798<=1596 mg/kg ^[1]	Eye: adverse effect observed (irritating) ^[1]		
sodium thioglycolate	Oral (Rat) LD50: >=50<=200 mg/kg ^[1]	Skin (Human): 0.25%/6H		
		Skin (Human): 7%/24H		
		Skin: adverse effect observed (irritating) ^[1]		
	TOXICITY	IRRITATION		
alaahala 00 44 d	Dermal (rabbit) LD50: >2000 mg/kg ^[2]	Eye: adverse effect observed (irritating) ^[1]		
alcohols C9-11 ethoxylated	Inhalation (Rat) LC50: >1.6 mg/l4h ^[1]	Skin: no adverse effect observed (not irritating) ^[1]		
	Oral (Rat) LD50: 1378 mg/kg ^[2]			
	TOXICITY	IRRITATION		
water	Oral (Rat) LD50: >90000 mg/kg ^[2]	Not Available		
Legend:	4 Makes abtained from Firmone FOLIA Banistaned Cub			
Legend.	Unless otherwise specified data extracted from RTEC	ostances - Acute toxicity 2. Value obtained from manufacturer's SDS. CS - Register of Toxic Effect of chemical Substances		
SODIUM THIOGLYCOLATE	Skin (human): 7%/24h The following information refers to contact allergens at Contact allergies quickly manifest themselves as cont pathogenesis of contact eczema involves a cell-media skin reactions, e.g. contact urticaria, involve antibody-Asthma-like symptoms may continue for months or evallergic condition known as reactive airways dysfunctingly irritating compound. Main criteria for diagnosing individual, with sudden onset of persistent asthma-like irritant. Other criteria for diagnosis of RADS include a bronchial hyperreactivity on methacholine challenge to eosinophilia. Ammonium and glyceryl thioglycolate and thioglycolic concentrations used, these cosmetic ingredients are coskin tests for extended periods of exposure, these ing temporary redness of the conjunctiva in both rinsed at Skin testing shows that these ingredients are cumulated.	as a group and may not be specific to this product. It is a group and may not be specific to the specific to		
	Skin (human): 7%/24h The following information refers to contact allergens at Contact allergies quickly manifest themselves as cont pathogenesis of contact eczema involves a cell-media skin reactions, e.g. contact urticaria, involve antibody-Asthma-like symptoms may continue for months or evallergic condition known as reactive airways dysfunctingly irritating compound. Main criteria for diagnosing individual, with sudden onset of persistent asthma-like irritant. Other criteria for diagnosis of RADS include a bronchial hyperreactivity on methacholine challenge to eosinophilia. Ammonium and glyceryl thioglycolate and thioglycolic concentrations used, these cosmetic ingredients are coskin tests for extended periods of exposure, these ing temporary redness of the conjunctiva in both rinsed at Skin testing shows that these ingredients are cumulat Somnolence, ataxia, diarrhoea recorded. Polyethers (such as ethoxylated surfactants and polyether form complex mixtures of oxidation products. Animal testing reveals that whole the pure, non-oxidis sensitisers. The oxidization products also cause irritat Humans have regular contact with alcohol ethoxylates detergents and other cleaning products. Exposure to the skin or eyes. Studies of acute toxicity show that re No death due to poisoning with alcohol ethoxylates has Both laboratory and animal testing has shown that the mutations or cancer. No adverse reproductive or devertirethylene glycol ethers undergo enzymatic oxidation doses, they may cause depressed reflexes, flaccid muanimal. The material may produce severe irritation to the eye irritants may produce conjunctivitis. The material may cause severe skin irritation after productive or devertire the skin or eyes.	as a group and may not be specific to this product. It is a group and may not be specific to this product. It is a group and may not be specific to this product. It is a group and may not be specific to this product. It is a group and may not be specific to this product. It is a group and may not be specific to this product. It is a group and may not be specific to this product's oedema. The atted (T lymphocytes) immune reaction of the delayed type. Other allergic mediated immune reactions. It is a group and may not be specific to the delayed type. Other allergic mediated immune reactions. It is a group and may not be specific to this product's oedema. The atted (T lymphocytes) immune reactions of the delayed type. Other allergic mediated immune reactions of the delayed type. Other allergic mediated immune reactions of the delayed to a non-atopic asymptoms within minutes to hours of a documented exposure to the reversible airflow pattern on lung function tests, moderate to severe esting, and the lack of minimal lymphocytic inflammation, without acid are used mainly in cosmetic permanent waving lotions. At only slightly toxic in acute exposures by mouth and skin contact. In repeate predients were toxic. Commercial permanent wave products caused and unrinsed eyes. It is intributed eyes. In the product and possibly weak sensistisers. It is a group and may product and the eyes. At high oral product is a contact with elatively high volumes would have to occur to produce any toxic response. The product is no evidence for alcohol ethoxylates (AEs) causing genetic damage, altophorental effects were observed. In to toxic alkoxy acids. They may irritate the skin and the eyes. At high oral production of the pr		
SODIUM THIOGLYCOLATE	Skin (human): 7%/24h The following information refers to contact allergens at Contact allergies quickly manifest themselves as cont pathogenesis of contact eczema involves a cell-media skin reactions, e.g. contact urticaria, involve antibody-Asthma-like symptoms may continue for months or evallergic condition known as reactive airways dysfunctingly irritating compound. Main criteria for diagnosing individual, with sudden onset of persistent asthma-like irritant. Other criteria for diagnosis of RADS include a bronchial hyperreactivity on methacholine challenge to eosinophilia. Ammonium and glyceryl thioglycolate and thioglycolic concentrations used, these cosmetic ingredients are coskin tests for extended periods of exposure, these ing temporary redness of the conjunctiva in both rinsed at Skin testing shows that these ingredients are cumulat Somnolence, ataxia, diarrhoea recorded. Polyethers (such as ethoxylated surfactants and polyether form complex mixtures of oxidation products. Animal testing reveals that whole the pure, non-oxidis sensitisers. The oxidization products also cause irritat Humans have regular contact with alcohol ethoxylates detergents and other cleaning products. Exposure to the skin or eyes. Studies of acute toxicity show that re No death due to poisoning with alcohol ethoxylates has Both laboratory and animal testing has shown that the mutations or cancer. No adverse reproductive or devertirethylene glycol ethers undergo enzymatic oxidation doses, they may cause depressed reflexes, flaccid muanimal. The material may produce severe irritation to the eye irritants may produce conjunctivitis. The material may cause severe skin irritation after productive or devertire the skin or eyes.	as a group and may not be specific to this product. act eczema, more rarely as urticaria or Quincke's oedema. The ated (T lymphocytes) immune reaction of the delayed type. Other allergic mediated immune reactions. In years after exposure to the material ends. This may be due to a non-on syndrome (RADS) which can occur after exposure to high levels of gRADS include the absence of previous airways disease in a non-atopic exymptoms within minutes to hours of a documented exposure to the reversible airflow pattern on lung function tests, moderate to severe esting, and the lack of minimal lymphocytic inflammation, without acid are used mainly in cosmetic permanent waving lotions. At only slightly toxic in acute exposures by mouth and skin contact. In repeate predients were toxic. Commercial permanent wave products caused and unrinsed eyes. In irritants and possibly weak sensistisers. Active irritants and possibly weak sensistisers.		

Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	~	STOT - Single Exposure	×
Respiratory or Skin sensitisation	~	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend: X − Data either not available or does not fill the criteria for classification

✓ − Data available to make classification

SECTION 12 Ecological information

Toxicity

Not Available t Test Duration (hr) 72h Cx) 72h 96h t Test Duration (hr)	Species Algae or other aquatic plants Algae or other aquatic plants Fish	Value 5.07mg/l 0.54mg/l >100mg/l	Not Available Source 2 2 2
72h Cx) 72h 96h	Algae or other aquatic plants Algae or other aquatic plants	5.07mg/l 0.54mg/l	2
Cx) 72h 96h	Algae or other aquatic plants	0.54mg/l	2
96h			
	Fish	>100mg/l	2
t Test Duration (hr)			
i loot Buration (iii)	Species	Value	Source
48h	Crustacea	2.217- 3.523mg/L	4
96h	Algae or other aquatic plants	1.4mg/l	2
Cx) 720h	Fish	0.11- 0.28mg/l	2
96h	Fish	7mg/l	Not Available
t Test Duration (hr)	Species	Value	Source
Not Available	Not Available	Not Available	Not Available
	96h Cx) 720h 96h Test Duration (hr) Not Available from 1. IUCLID Toxicity Data 2. Euro	96h Algae or other aquatic plants (Cx) 720h Fish 96h Fish Not Available Not Available from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Plants Algae or other aquatic plants Fish Not Available Species	48h Crustacea 3.523mg/L 96h Algae or other aquatic plants 1.4mg/l Cx) 720h Fish 0.11- 0.28mg/l 96h Fish 7mg/l nt Test Duration (hr) Species Value Not Available Not Available

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
sodium thioglycolate	LOW (LogKOW = -3.78)
alcohols C9-11 ethoxylated	LOW (LogKOW = 2.42)
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

- ▶ Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

Otherwise

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
- ▶ Where possible retain label warnings and SDS and observe all notices pertaining to the product.
- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- ▶ Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- ▶ Decontaminate empty containers.

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
sodium thioglycolate	Not Applicable
alcohols C9-11 ethoxylated	Not Applicable
water	Not Applicable

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
sodium thioglycolate	Not Applicable
alcohols C9-11 ethoxylated	Not Applicable
water	Not Applicable

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002530	Cleaning Products Subsidiary Hazard Group Standard 2020

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Land Transport Rule: Dangerous Goods 2005 - Schedule 4 Quantity Limits for Dangerous Goods in Excepted Quantities

New Zealand Land Transport Rule; Dangerous Goods 2005 - Schedule 2 Dangerous Goods in Limited Quantities and Consumer Commodities

alcohols C9-11 ethoxylated is found on the following regulatory lists

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

New Zealand Land Transport Rule: Dangerous Goods 2005 - Schedule 1 Quantity limits for dangerous goods

water is found on the following regulatory lists

New Zealand Inventory of Chemicals (NZIoC)

Additional Regulatory Information

Not Applicable

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
6.5A or 6.5B	120	1	3	

Tracking Requirements

Not Applicable

National Inventory Status	
National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (sodium thioglycolate; alcohols C9-11 ethoxylated; water)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (alcohols C9-11 ethoxylated)
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	All chemical substances in this product have been designated as TSCA Inventory 'Active'
Taiwan - TCSI	Yes
Mexico - INSQ	No (sodium thioglycolate)
Vietnam - NCI	Yes
Russia - FBEPH	No (sodium thioglycolate; alcohols C9-11 ethoxylated)
UAE - Control List (Banned/Restricted Substances)	No (sodium thioglycolate; alcohols C9-11 ethoxylated; water)
Legend:	Yes = All CAS declared ingredients are on the inventory

National Inventory	Statusne or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require
	registration.

SECTION 16 Other information

Revision Date	10/07/2024
Initial Date	24/08/2018

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification
4.1	10/07/2024	Expiration. Review and Update

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ▶ TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ► TLV: Threshold Limit Value
- ▶ LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- DNEL: Derived No-Effect LevelPNEC: Predicted no-effect concentration
- MARPOL: International Convention for the Prevention of Pollution from Ships
- ▶ IMSBC: International Maritime Solid Bulk Cargoes Code
- ▶ IGC: International Gas Carrier Code
- ▶ IBC: International Bulk Chemical Code
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ▶ TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.

Disclaimer: This SDS was prepared by a third party for product identification purposes only and is not endorsed by or affiliated with the original brand owner.